

Human Cyclin-dependent kinase 4 inhibitor C ELISA Kit | CDKN2C elisa kit

Human Cyclin-dependent kinase 4 inhibitor C ELISA Kit

CATALOG #
AAA100763

REACTIVITY
Human


PRODUCT SYNONYMS

Cyclin-dependent kinase 4 inhibitor C; Human Cyclin-dependent kinase 4 inhibitor C ELISA Kit; CDKN2C/Cyclin-dependent kinase 4 inhibitor C/p18-INK6/Cyclin-dependent kinase 6 inhibitor/p18-INK4c/CDKN6/p18/CDK6 inhibitor p18/cyclin-dependent kinase inhibitor 2C/p18; inhibits CDK4; CDKN2C elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	168
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	0.156-10ng/ml
Sensitivity	0.094ng/ml
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES



Typical Data & Standard Curve

Results of a typical standard run of a Human CDKN2C ELISA Kit are shown below. This standard curve was generated at our lab for demonstration purpose only. Each user should obtain their own standard curve as per experiment. (N/A-not applicable)

X	ng/ml	0	0.156	0.313	0.625	1.25	2.5	5	10
Y	OD450	0.077	0.130	0.171	0.254	0.469	0.849	1.476	2.084

Standard Curve (Sample)

Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CDKN2C elisa kit

Principle of the Assay||This kit was based on sandwich enzyme-linked immune-sorbent assay technology. anti-Human CDKN2C antibody was pre-coated onto 96-well plates. And the biotin conjugated anti-Human CDKN2C antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and wash with wash buffer. HRP-Streptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the Human CDKN2C amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of Human CDKN2C can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	17981699
NCBI GeneID	1031
NCBI Accession #	NP_523240.1
NCBI GenBank Nucleotide #	NM_078626.2
Molecular Weight	18,127 Da
NCBI Official Full Name	cyclin-dependent kinase 4 inhibitor C
NCBI Official Synonym Full Names	cyclin-dependent kinase inhibitor 2C
NCBI Official Symbol	CDKN2C
NCBI Official Synonym Symbols	p18; INK4C; p18-INK4C
NCBI Protein Information	cyclin-dependent kinase 4 inhibitor C
UniProt Protein Name	Cyclin-dependent kinase 4 inhibitor C
UniProt Gene Name	CDKN2C
UniProt Synonym Gene Names	CDKN6
UniProt Entry Name	CDN2C_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/cdkn2c-human-elisa-kits/cyclin-dependent-kinase-4-inhibitor-c/100763>