

Rat Interleukin-18 ELISA Kit | IL-18 elisa kit

Rat Interleukin-18 ELISA Kit

CATALOG #
AAA100772

REACTIVITY
Rat


PRODUCT SYNONYMS

Interleukin-18; Rat Interleukin-18 ELISA Kit; IL-18 (Interleukin 18)/IL18/IGIF/IL-1g/IL-1F4/Interferon-gamma-inducing factor; IL-18 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of IL-18. No significant cross-reactivity or interference between IL-18 and analogues was observed.
Sequence Length	193
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	31.25-2000pg/ml
Sensitivity	18.75pg/ml
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level IL-18 were tested 20 times on one plate, respectively. Intra-Assay: CV<8%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level IL- 18 were tested on 3 different plates, 8 replicates in each plate. CV (%) = SD/meanX100. Inter-Assay: CV<10%
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for IL-18 elisa kit

Principle of the Assay: This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti- IL-18 antibody was pre-coated onto 96-well plates. And the biotin conjugated anti- IL-18 antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and washed with wash buffer. HRP-Streptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the IL-18 amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of IL-18 can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4504653
NCBI GeneID	3606
NCBI Accession #	NP_001553.1
NCBI GenBank Nucleotide #	NM_001562.3
Molecular Weight	21,896 Da
NCBI Official Full Name	interleukin-18 isoform 1
NCBI Official Synonym Full Names	interleukin 18
NCBI Official Symbol	IL18
NCBI Official Synonym Symbols	IGIF; IL-18; IL-1g; IL1F4
NCBI Protein Information	interleukin-18
UniProt Protein Name	Interleukin-18
UniProt Gene Name	IL18
UniProt Synonym Gene Names	IGIF; IL1F4; IL-18; IFN-gamma-inducing factor; IL-1 gamma
UniProt Entry Name	IL18_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/il-18-rat-elisa-kits/interleukin-18/100772>