

Rabbit Ku80 Polyclonal Antibody | anti-XRCC5 antibody

Anti-Ku80 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA104587	Rabbit	Human, Monkey	Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Ku80; Polyclonal Antibody; Anti-Ku80 Antibody; G22P2; X-ray repair cross-complementing protein 5; 86 kDa subunit of Ku antigen; ATP-dependent DNA helicase 2 subunit 2; ATP-dependent DNA helicase II 80 kDa subunit; CTC box-binding factor 85 kDa subunit; CTC85; CTCBF; DNA repair protein XRCC5; Ku86; Lupus Ku autoantigen protein p86; Nuclear factor IV; Thyroid-lupus autoantigen; TLAA; X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoining); anti-XRCC5 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Monkey
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of Ku80 protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Sequence Length	732
Applicable Applications for anti-XRCC5 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human Ku80. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemical analysis of Ku80 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of Ku80 expression in A549 (A), HeLa (B), Raji (C) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-XRCC5 antibody	Rabbit polyclonal antibody to Ku80
---	------------------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	10863945
NCBI GeneID	7520
NCBI Accession #	NP_066964.1
NCBI GenBank Nucleotide #	NM_021141.3
UniProt Accession #	P13010; Q0Z7V0; Q4VBQ5; Q53HH7; Q7M4N0; Q9UCQ0; Q9UCQ1; A8K3X5
Molecular Weight	82,705 Da
NCBI Official Full Name	X-ray repair cross-complementing protein 5
NCBI Official Synonym Full Names	X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoining)
NCBI Official Symbol	XRCC5
NCBI Official Synonym Symbols	KU80; KUB2; Ku86; NFIV; KARP1; KARP-1
NCBI Protein Information	X-ray repair cross-complementing protein 5; TLAA; CTC85; CTCBF; nuclear factor IV; Ku autoantigen, 80kDa; DNA repair protein XRCC5; thyroid-lupus autoantigen; 86 kDa subunit of Ku antigen; lupus Ku autoantigen protein p86; Ku86 autoantigen related protein 1; CTC box-binding factor 85 kDa subunit; ATP-dependent DNA helicase 2 subunit 2; ATP-dependent DNA helicase II 80 kDa subunit
UniProt Protein Name	X-ray repair cross-complementing protein 5
UniProt Gene Name	XRCC5
UniProt Synonym Gene Names	G22P2; CTC85; CTCBF; TLAA
UniProt Entry Name	XRCC5_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/ku80-antibody-immunohistochemistry-western-blot-elisa/104587>