

Rabbit FGF2 Polyclonal Antibody | anti-FGF2 antibody

FGF2 Polyclonal Antibody


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA10647	Rabbit	Human, Mouse, Rat	Western Blot, Immunohistochemistry

PRODUCT SYNONYMS


FGF2; Polyclonal Antibody; FGF2 Polyclonal Antibody; Basic FGF: FGF2; BFGF; FGFB; HBGF-2; anti-FGF2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	288
Applicable Applications for anti-FGF2 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Application Notes	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
Species	Human
Route	Synthetic Peptide
Immunogen	N term -peptide of human FGF2
Calculated Molecular Weight	21kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.




IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded mouse heart using FGF2 antibody at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded mouse brain using FGF2 antibody at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded mouse liver using FGF2 antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded human prostate using FGF2 antibody at dilution of 1:100 (20x lens).



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded rat brain using FGF2 antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded rat lung using FGF2 antibody at dilution of 1:100 (40x lens).

ADDITIONAL INFORMATION

Related Product Information for anti-FGF2 antibody	Fibroblast growth factors are a family of broad-spectrum growth factors influencing a plethora of cellular activities. The interaction of at least 23 ligands, 4 receptors and multiple coreceptors provides a dramatic complexity to a signaling system capable of effecting a multitude of responses (1,2). Basic fibroblast growth factor (bFGF or FGF2), initially identified as a mitogen with prominent angiogenic properties, is now recognized as a multifunctional growth factor (3). It is clear that bFGF produces its biological effects in target cells by signaling through cell-surface FGF receptors. bFGF binds to all four FGF receptors. Ligand binding induces receptor dimerization and autophosphorylation, allowing binding and activation of cytoplasmic downstream target proteins, including FRS-2, PLC and Crk (4,5). The FGF signaling pathway appears to play a significant role not only in normal cell growth regulation but also in tumor development and progression (6). Acidic FGF (aFGF or FGF1) is another extensively investigated protein of the FGF family. aFGF shares 55% DNA sequence homology with bFGF. These two growth factors are ubiquitously expressed and exhibit a wide spectrum of similar biological activities with quantitative differences likely due to variation in receptor affinity or binding (7).
Product Categories/Family for anti-FGF2 antibody	Polyclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	261260095
NCBI GeneID	2247
UniProt Accession #	P09038; O00527; P78443; Q16443; Q5PY50; Q7KZ11; Q7KZ72; Q9UC54; Q9UCS5; Q9UCS6; A4LBB8
Molecular Weight	288
NCBI Official Full Name	Fibroblast growth factor 2
NCBI Official Synonym Full Names	fibroblast growth factor 2 (basic)
NCBI Official Symbol	FGF2
NCBI Official Synonym Symbols	BFGF; FGFB; FGF-2; HBGF-2
NCBI Protein Information	fibroblast growth factor 2; prostatropin; heparin-binding growth factor 2; basic fibroblast growth factor bFGF
UniProt Protein Name	Fibroblast growth factor 2
UniProt Gene Name	FGF2
UniProt Synonym Gene Names	FGFB; FGF-2; bFGF; HBGF-2
UniProt Entry Name	FGF2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/fgf2-antibody-western-blot-immunohistochemistry-elisa/10647>