

Protein-glutamine gamma-glutamyltransferase 2 Recombinant Protein | TGM2 recombinant protein

Recombinant Human Protein-glutamine gamma-glutamyltransferase 2

CATALOG # AAA113424	HOST E Coli or Yeast or Baculovirus or Mammalian Cell
-------------------------------	---


PRODUCT SYNONYMS

Protein-glutamine gamma-glutamyltransferase 2; Recombinant Human Protein-glutamine gamma-glutamyltransferase 2; Tissue transglutaminase; Transglutaminase C; TG(C); TGC; TGase C; Transglutaminase H; TGase H; Transglutaminase-2; TGase-2; TGM2 recombinant protein

PRODUCT SPECIFICATIONS

Host	E Coli or Yeast or Baculovirus or Mammalian Cell
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Lyophilized or liquid (Format to be determined during the manufacturing process)
Sequence Positions	4-544aa; Partial of Isoform 2
Sequence	ELVLERCDLE LETNGRDHHT ADLCREKLVV RRGQPFWLT L HFEGRNYEAS VDSLTF SVVT GPAPSQEAGT KARFPLRDAV EEGDWTATVV DQQDCTLSLQ LTT PANAPIG LYRLSLEAST GYQGSSFVLG HFILLFNAWC PADAVYLDSE EERQEYVLTQ QGFIYQGS AK FIKNIPWNFG QFEDGILDIC LILLDVNPKF LKNAGRDCSR RSSPVYVGRV VSGMVNCNDD QGVLLGRWDN NYGDGVSPMS WIGSV DILRR WKNHGCQRVK YGQCWVFAAV ACTVLRCLGI PTRVVTNYS AHDQNSLLI EYFRNEFGEI QGDKSEMIWN FHCWVESWMT RPDLPQGYEG WQALDPTPQE KSEGTYCCGP VPVRAI EGD LSTKYDAPFV FAEVNADVVD WIQDDG SVH KSINRSLIVG LKISTKSVGR DEREDITHTY KYPEG SSEER EAFTRANHLN KLA EKEETGM AMRIRVGQSM NMGSDFDVFA HITNNTAE EY VCRLLLCART VSYNGILGPE CGTKYLLNLN LE PFS GKALC S
Preparation and Storage	Store at -20 degree C, for extended storage, conserve at -20 degree C or -80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for TGM2 recombinant protein	Catalyzes the cross-linking of proteins and the conjugation of polyamines to proteins.
--	--

Product Categories/Family for TGM2 recombinant protein	Immunology
References	Isolation and characterization of cDNA clones to mouse macrophage and human endothelial cell tissue transglutaminases.Gentile V., Saydak M., Chiocca E.A., Akande O., Birckbichler P.J., Lee K.N., Stein J.P., Davies P.J.A.J. Biol. Chem. 266:478-483(1991) A retinoic acid-inducible mRNA from human erythroleukemia cells encodes a novel tissue transglutaminase homologue.Fraij B.M., Birckbichler P.J., Patterson M.K. Jr., Lee K.N., Gonzales R.A.J. Biol. Chem. 267:22616-22623(1992) A third human tissue transglutaminase homologue as a result of alternative gene transcripts.Fraij B.M., Gonzales R.A.Biochim. Biophys. Acta 1306:63-74(1996) Bayardo M.P., de Urraza P., Chirido F.G. Complete sequencing and characterization of 21,243 full-length human cDNAs.Ota T., Suzuki Y., Nishikawa T., Otsuki T., Sugiyama T., Irie R., Wakamatsu A., Hayashi K., Sato H., Nagai K., Kimura K., Makita H., Sekine M., Obayashi M., Nishi T., Shibahara T., Tanaka T., Ishii S., Yamamoto J., Saito K., Kawai Y., Isono Y., Nakamura Y., Nagahari K., Murakami K., Yasuda T., Iwayanagi T., Wagatsuma M., Shiratori A., Sudo H., Hosoi T., Kaku Y., Kodaira H., Kondo H., Sugawara M., Takahashi M., Kanda K., Yokoi T., Furuya T., Kikkawa E., Omura Y., Abe K., Kamihara K., Katsuta N., Sato K., Tanikawa M., Yamazaki M., Ninomiya K., Ishibashi T., Yamashita H., Murakawa K., Fujimori K., Tanai H., Kimata M., Watanabe M., Hiraoka S., Chiba Y., Ishida S., Ono Y., Takiguchi S., Watanabe S., Yosida M., Hotuta T., Kusano J., Kanehori K., Takahashi-Fujii A., Hara H., Tanase T.-O., Nomura Y., Togiya S., Komai F., Hara R., Takeuchi K., Arita M., Imose N., Musashino K., Yuuki H., Oshima A., Sasaki N., Aotsuka S., Yoshikawa Y., Matsunawa H., Ichihara T., Shiohata N., Sano S., Moriya S., Momiyama H., Satoh N., Takami S., Terashima Y., Suzuki O., Nakagawa S., Senoh A., Mizoguchi H., Goto Y., Shimizu F., Wakebe H., Hishigaki H., Watanabe T., Sugiyama A., Takemoto M., Kawakami B., Yamazaki M., Watanabe K., Kumagai A., Itakura S., Fukuzumi Y., Fujimori Y., Komiyama M., Tashiro H., Tanigami A., Fujiwara T., Ono T., Yamada K., Fujii Y., Ozaki K., Hirao M., Ohmori Y., Kawabata A., Hikiji T., Kobatake N., Inagaki H., Ikema Y., Okamoto S., Okitani R., Kawakami T., Noguchi S., Itoh T., Shigeta K., Senba T., Matsumura K., Nakajima Y., Mizuno T., Morinaga M., Sasaki M., Togashi T., Oyama M., Hata H., Watanabe M., Komatsu T., Mizushima-Sugano J., Satoh T., Shirai Y., Takahashi Y., Nakagawa K., Okumura K., Nagase T., Nomura N., Kikuchi H., Masuho Y., Yamashita R., Nakai K., Yada T., Nakamura Y., Ohara O., Isogai T., Sugano S.Nat. Genet. 36:40-45(2004) NIEHS SNPs programThe DNA sequence and comparative analysis of human chromosome 20.Deloukas P., Matthews L.H., Ashurst J.L., Burton J., Gilbert J.G.R., Jones M., Stavrides G., Almeida J.P., Babbage A.K., Bagguley C.L., Bailey J., Barlow K.F., Bates K.N., Beard L.M., Beare D.M., Beasley O.P., Bird C.P., Blakey S.E., Bridgeman A.M., Brown A.J., Buck D., Burrill W.D., Butler A.P., Carder C., Carter N.P., Chapman J.C., Clamp M., Clark G., Clark L.N., Clark S.Y., Clee C.M., Clegg S., Copley V.E., Collier R.E., Connor R.E., Corby N.R., Coulson A., Coville G.J., Deadman R., Dhami P.D., Dunn M., Ellington A.G., Frankland J.A., Fraser A., French L., Garner P., Grafham D.V., Griffiths C., Griffiths M.N.D., Gwilliam R., Hall R.E., Hammond S., Harley J.L., Heath P.D., Ho S., Holden J.L., Howden P.J., Huckle E., Hunt A.R., Hunt S.E., Jekosch K., Johnson C.M., Johnson D., Kay M.P., Kimberley A.M., King A., Knights A., Laird G.K., Lawlor S., Lehvaeslaiho M.H., Leversha M.A., Lloyd C., Lloyd D.M., Lovell J.D., Marsh V.L., Martin S.L., McConnachie L.J., McLay K., McMurray A.A., Milne S.A., Mistry D., Moore M.J.F., Mullikin J.C., Nickerson T., Oliver K., Parker A., Patel R., Pearce T.A.V., Peck A.I., Phillimore B.J.C.T., Prathalingam S.R., Plumb R.W., Ramsay H., Rice C.M., Ross M.T., Scott C.E., Sehra H.K., Shownkeen R., Sims S., Skuce C.D., Smith M.L., Soderlund C., Steward C.A., Sulston J.E., Swann R.M., Sycamore N., Taylor R., Tee L., Thomas D.W., Thorpe A., Tracey A., Tromans A.C., Vaudin M., Wall M., Wallis J.M., Whitehead S.L., Whittaker P., Willey D.L., Williams L., Williams S.A., Wilming L., Wray P.W., Hubbard T., Durbin R.M., Bentley D.R., Beck S., Rogers J.Nature 414:865-871(2001)

NCBI AND UNIPROT INFORMATION

NCBI GI #	39777597
NCBI GeneID	7052
NCBI Accession #	NP_004604.2
NCBI GenBank Nucleotide #	NM_004613.2
UniProt Accession #	P21980; Q16436; Q6B838; Q9BTN7; Q9UH35; E1P5V9
Molecular Weight	76.9 kDa
NCBI Official Full Name	protein-glutamine gamma-glutamyltransferase 2 isoform a
NCBI Official Synonym Full Names	transglutaminase 2
NCBI Official Symbol	TGM2
NCBI Official Synonym Symbols	TG2; TGC; GNAH; HEL-S-45; G-ALPHA-h

NCBI Protein Information	protein-glutamine gamma-glutamyltransferase 2
UniProt Protein Name	Protein-glutamine gamma-glutamyltransferase 2
UniProt Gene Name	TGM2
UniProt Synonym Gene Names	TG(C); TGC; TGase C; TGase H; TGase-2
UniProt Entry Name	TGM2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/tgm2-recombinant-protein-e-coli/113424>