

B-cell lymphoma/leukemia 10 Recombinant Protein | BCL10 recombinant protein

Recombinant Human B-cell lymphoma/leukemia 10

CATALOG # AAA115436	HOST E Coli or Yeast or Baculovirus or Mammalian Cell
-------------------------------	---


PRODUCT SYNONYMS

B-cell lymphoma/leukemia 10; Recombinant Human B-cell lymphoma/leukemia 10; B-cell CLL/lymphoma 10; hCLAPCED-3/ICH-1 prodomain homologous E10-like regulator; CIPER; Cellular homolog of vCARMEN; cCARMEN; Cellular-E10; c-E10; Mammalian CARD-containing adapter molecule E10; mE10; BCL10 recombinant protein

PRODUCT SPECIFICATIONS

Host	E Coli or Yeast or Baculovirus or Mammalian Cell
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Lyophilized or liquid (Format to be determined during the manufacturing process)
Sequence Positions	1-233aa; Full Length Protein
Sequence	MEPTAPSLTE EDLTEVKKDA LENLRVYLCE KIIAERHFDH LRAKKILSRE DTEEISCRTS SRKRAGKLLD YLQENPKGLD TLVESIRREK TQNFLIQKIT DEVLKLRNIK LEHLKGLKCS SCEPFDGAT NNLSRSNSDE SNFSEKLRAS TVMYHPEGES STTPFFSTNS SLNLPVLEVG RTENTIFSST TLP RP G DPGA PPLPPDLQLE EEGTCANSSE MFLPLRSRTV SRQ
Preparation and Storage	Store at -20 degree C, for extended storage, conserve at -20 degree C or -80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for BCL10 recombinant protein	Involved in adaptive immune response. Promotes apoptosis, pro-caspase-9 maturation and activation of NF-kappa-B via NIK and IKK. May be an adapter protein between upstream TNFR1-TRADD-RIP complex and the downstream NIK-IKK-IKAP complex. Is a substrate for MALT1.
Product Categories/Family for BCL10 recombinant protein	Apoptosis

References

Bcl10 is involved in t(1;14) (p22;q32) of MALT B cell lymphoma and mutated in multiple tumor types. Willis T.G., Jadayel D.M., Du M.-Q., Peng H., Perry A.R., Abdul-Rauf M., Price H., Karran L., Majekodunmi O., Wlodarska I., Pan L., Crook T., Hamoudi R., Isaacson P., Dyer M.J.S. *Cell* 96:35-45(1999) CIPER, a novel NF kappaB-activating protein containing a caspase recruitment domain with homology to Herpesvirus-2 protein E10. Koseki T., Inohara N., Chen S., Carrio R., Merino J., Hottiger M.O., Nabel G.J., Nunez G.J. *Biol. Chem.* 274:9955-9961(1999) Equine herpesvirus-2 E10 gene product, but not its cellular homologue, activates NF-kappaB transcription factor and c-Jun N-terminal kinase. Thome M., Martinon F., Hofmann K., Rubio V., Steiner V., Schneider P., Mattmann C., Tschopp J.J. *Biol. Chem.* 274:9962-9968(1999) mE10, a novel caspase recruitment domain-containing proapoptotic molecule. Yan M., Lee J., Schilbach S., Goddard A., Dixit V.M.J. *Biol. Chem.* 274:10287-10292(1999) CLAP, a novel caspase recruitment domain-containing protein in the tumor necrosis factor receptor pathway, regulates NF-kappaB activation and apoptosis. Srinivasula S.M., Ahmad M., Lin J.-H., Poyet J.-L., Fernandes-Alnemri T., Tsichlis P.N., Alnemri E.S.J. *Biol. Chem.* 274:17946-17954(1999) c-E10 is a caspase-recruiting domain-containing protein that interacts with components of death receptors signaling pathway and activates nuclear factor-kappaB. Costanzo A., Guet C., Vito P.J. *Biol. Chem.* 274:20127-20132(1999) Inactivating mutations and overexpression of BCL10, a caspase recruitment domain-containing gene, in MALT lymphoma with t(1;14) (p22;q32). Zhang Q., Siebert R., Yan M., Hinzmann B., Cui X., Xue L., Rakestraw K.M., Naeve C.W., Beckmann G., Weisenburger D.D., Sanger W.G., Nowotny H., Vesely M., Callet-Bauchu E., Salles G., Dixit V.M., Rosenthal A., Schlegelberger B., Morris S.W. *Nat. Genet.* 22:63-68(1999) Complete sequencing and characterization of 21,243 full-length human cDNAs. Ota T., Suzuki Y., Nishikawa T., Otsuki T., Sugiyama T., Irie R., Wakamatsu A., Hayashi K., Sato H., Nagai K., Kimura K., Makita H., Sekine M., Obayashi M., Nishi T., Shibahara T., Tanaka T., Ishii S., Yamamoto J., Saito K., Kawai Y., Isono Y., Nakamura Y., Nagahari K., Murakami K., Yasuda T., Iwayanagi T., Wagatsuma M., Shiratori A., Sudo H., Hosoiri T., Kaku Y., Kodaira H., Kondo H., Sugawara M., Takahashi M., Kanda K., Yokoi T., Furuya T., Kikkawa E., Omura Y., Abe K., Kamihara K., Katsuta N., Sato K., Tanikawa M., Yamazaki M., Ninomiya K., Ishibashi T., Yamashita H., Murakawa K., Fujimori K., Tanai H., Kimata M., Watanabe M., Hiraoka S., Chiba Y., Ishida S., Ono Y., Takiguchi S., Watanabe S., Yosida M., Hotuta T., Kusano J., Kanehori K., Takahashi-Fujii A., Hara H., Tanase T.-O., Nomura Y., Togiya S., Komai F., Hara R., Takeuchi K., Arita M., Imose N., Musashino K., Yuuki H., Oshima A., Sasaki N., Aotsuka S., Yoshikawa Y., Matsunawa H., Ichihara T., Shiohata N., Sano S., Moriya S., Momiyama H., Satoh N., Takami S., Terashima Y., Suzuki O., Nakagawa S., Senoh A., Mizoguchi H., Goto Y., Shimizu F., Wakebe H., Hishigaki H., Watanabe T., Sugiyama A., Takemoto M., Kawakami B., Yamazaki M., Watanabe K., Kumagai A., Itakura S., Fukuzumi Y., Fujimori Y., Komiyama M., Tashiro H., Tanigami A., Fujiwara T., Ono T., Yamada K., Fujii Y., Ozaki K., Hirao M., Ohmori Y., Kawabata A., Hikiji T., Kobatake N., Inagaki H., Ikema Y., Okamoto S., Okitani R., Kawakami T., Noguchi S., Itoh T., Shigeta K., Senba T., Matsumura K., Nakajima Y., Mizuno T., Morinaga M., Sasaki M., Togashi T., Oyama M., Hata H., Watanabe M., Komatsu T., Mizushima-Sugano J., Satoh T., Shirai Y., Takahashi Y., Nakagawa K., Okumura K., Nagase T., Nomura N., Kikuchi H., Masuho Y., Yamashita R., Nakai K., Yada T., Nakamura Y., Ohara O., Isogai T., Sugano S. *Nat. Genet.* 36:40-45(2004) The DNA sequence and biological annotation of human chromosome 1. Gregory S.G., Barlow K.F., McLay K.E., Kaul R., Swarbreck D., Dunham A., Scott C.E., Howe K.L., Woodfine K., Spencer C.C.A., Jones M.C., Gillson C., Searle S., Zhou Y., Kokocinski F., McDonald L., Evans R., Phillips K., Atkinson A., Cooper R., Jones C., Hall R.E., Andrews T.D., Lloyd C., Ainscough R., Almeida J.P., Ambrose K.D., Anderson F., Andrew R.W., Ashwell R.I.S., Aubin K., Babbage A.K., Bagguley C.L., Bailey J., Beasley H., Bethel G., Bird C.P., Bray-Allen S., Brown J.Y., Brown A.J., Buckley D., Burton J., Bye J., Carder C., Chapman J.C., Clark S.Y., Clarke G., Clee C., Cobley V., Collier R.E., Corby N., Coville G.J., Davies J., Deadman R., Dunn M., Earthrowl M., Ellington A.G., Errington H., Frankish A., Frankland J., French L., Garner P., Garnett J., Gay L., Ghori M.R.J., Gibson R., Gilby L.M., Gillett W., Glithero R.J., Grafham D.V., Griffiths C., Griffiths-Jones S., Grocock R., Hammond S., Harrison E.S.I., Hart E., Haugen E., Heath P.D., Holmes S., Holt K., Howden P.J., Hunt A.R., Hunt S.E., Hunter G., Isherwood J., James R., Johnson C., Johnson D., Joy A., Kay M., Kershaw J.K., Kibukawa M., Kimberley A.M., King A., Knights A.J., Lad H., Laird G., Lawlor S., Leongamornlert D.A., Lloyd D.M., Loveland J., Lovell J., Lush M.J., Lyne R., Martin S., Mashreghi-Mohammadi M., Matthews L., Matthews N.S.W., McLaren S., Milne S., Mistry S., Moore M.J.F., Nickerson T., O'Dell C.N., Oliver K., Palmeiri A., Palmer S.A., Parker A., Patel D., Pearce A.V., Peck A.I., Pelan S., Phelps K., Phillimore B.J., Plumb R., Rajan J., Raymond C., Rouse G., Saenphimmachak C., Sehra H.K., Sheridan E., Shownkeen R., Sims S., Skuce C.D., Smith M., Steward C., Subramanian S., Sycamore N., Tracey A., Tromans A., Van Helmond Z., Wall M., Wallis J.M., White S., Whitehead S.L., Wilkinson J.E., Willey D.L., Williams H., Wilming L., Wray P.W., Wu Z., Coulson A., Vaudin M., Sulston J.E., Durbin R.M., Hubbard T., Wooster R., Dunham I., Carter N.P., McVean G., Ross M.T., Harrow J., Olson M.V., Beck S., Rogers J., Bentley D.R. *Nature* 441:315-321(2006) Mural R.J., Istrail S., Sutton G., Florea L., Halpern A.L., Mobarry C.M., Lippert R., Walenz B., Shatkay H., Dew I., Miller J.R., Flanigan M.J., Edwards N.J., Bolanos R., Fasulo D., Halldorsson B.V., Hannenhalli S., Turner R., Yooseph S., Lu F., Nusskern D.R., Shue B.C., Zheng X.H., Zhong F., Delcher A.L., Huson D.H., Kravitz S.A., Mouchard L., Reinert K., Remington K.A., Clark A.G., Waterman M.S., Eichler E.E., Adams M.D., Hunkapiller M.W., Myers E.W., Venter J.C. Interchangeable binding of Bcl10 to TRAF2 and cIAPs regulates apoptosis signaling. Yui D., Yoneda T., Oono K., Katayama T., Imaizumi K., Tohyama M. *Oncogene* 20:4317-4323(2001) Caveolin-1 triggers T-cell activation via CD26 in association with CARMA1. Ohnuma K., Uchiyama M., Yamochi T., Nishibashi K., Hosono O., Takahashi N., Kina S., Tanaka H., Lin X., Dang N.H., Morimoto C.J. *Biol. Chem.* 282:10117-10131(2007) Negative feedback loop in T cell activation through IkappaB kinase-induced phosphorylation and degradation of Bcl10. Lobry C., Lopez T., Israel A., Weil R. *Proc. Natl. Acad. Sci. U.S.A.* 104:908-913(2007) The proteolytic activity of the paracaspase MALT1 is key in T cell activation. Rebeaud F., Hailfinger S., Posevitz-Fejfar A., Tapernoux M., Moser R., Rueda D., Gaide O., Guzzardi M., Iancu E.M., Rufer N., Fasel N., Thome M. *Nat. Immunol.* 9:272-281(2008) Lys-N and trypsin cover complementary parts of the phosphoproteome in a refined SCX-based approach. Gauci S., Helbig A.O., Sliger M., Krijgsvelde J., Heck A.J., Mohammed S. *Anal. Chem.* 81:4493-4501(2009) Initial characterization of the human central proteome. Burkard T.R., Planavsky M., Kaupé I., Breitwieser F.P., Buerckstuehmer T., Bennett K.L.,

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502379
NCBI GeneID	8915
NCBI Accession #	NP_003912.1
NCBI GenBank Nucleotide #	NM_003921.4
UniProt Accession #	O95999; Q5VUF1
Molecular Weight	42.3 kDa
NCBI Official Full Name	B-cell lymphoma/leukemia 10
NCBI Official Synonym Full Names	B-cell CLL/lymphoma 10
NCBI Official Symbol	BCL10
NCBI Official Synonym Symbols	CLAP; mE10; CIPER; IMD37; c-E10; CARMEN
NCBI Protein Information	B-cell lymphoma/leukemia 10
UniProt Protein Name	B-cell lymphoma/leukemia 10
UniProt Gene Name	BCL10
UniProt Synonym Gene Names	CIPER; CLAP; Bcl-10; hCLAP; CIPER; cCARMEN; c-E10; mE10
UniProt Entry Name	BCL10_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/bcl10-recombinant-protein-e-coli/115436>