

Rabbit anti-Human MED30 Polyclonal Antibody | anti-MED30 antibody

MED30 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA119814	Rabbit	Human	Immunofluorescence, Immunohistochemistry, ELISA


PRODUCT SYNONYMS

MED30; Polyclonal Antibody; MED30 Antibody; Mediator of RNA polymerase II transcription subunit 30; THRAP6; TRAP25; Mediator complex subunit 30; TRAP/Mediator complex component TRAP25; Thyroid hormone receptor-associated protein 6; Thyroid hormone receptor-associated protein complex 25 kDa component; Trap25; anti-MED30 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G Purified
Form/Format	Liquid
Sequence Length	143
Applicable Applications for anti-MED30 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), ELISA
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Conjugate	Non-conjugated
Immunogen	Recombinant human Mediator of RNA polymerase II transcription subunit 30 protein (67-165AA)
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-98002
Immunogen Species	Homo sapiens (Human) Reserach Area
Target Names	MED30
Preparation and Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.


IMAGES



IHC (Immunohistochemisry)
Immunofluorescent analysis of PC3 cells using AAA119814 at a dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)



IHC (Immunohiostchemistry)
Immunohistochemistry of paraffin-embedded human pancreatic tissue using AAA119814 at dilution of 1:100



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded human kidney using AAA119814 at dilution of 1:100

ADDITIONAL INFORMATION

Related Product Information for anti-MED30 antibody	Component of the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA polymerase II-dependent genes. Mediator functions as a bridge to convey information from gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and the general transcription factors.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	545479145
NCBI GeneID	90390
NCBI Accession #	NP_001269915.1
NCBI GenBank Nucleotide #	NM_001282986.1
UniProt Accession #	Q96HR3; C6GKU9
NCBI Official Full Name	mediator of RNA polymerase II transcription subunit 30 isoform 2
NCBI Official Synonym Full Names	mediator complex subunit 30
NCBI Official Symbol	MED30
NCBI Official Synonym Symbols	MED30S; THRAP6; TRAP25
NCBI Protein Information	mediator of RNA polymerase II transcription subunit 30
UniProt Protein Name	Mediator of RNA polymerase II transcription subunit 30

UniProt Gene Name	MED30
UniProt Synonym Gene Names	THRAP6; TRAP25; Trap25
UniProt Entry Name	MED30_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/med30-antibody-immunofluorescence-immunohistochemistry-elisa/119814>