

Rabbit anti-Human CENPH Polyclonal Antibody | anti-CENPH antibody

Anti-CENPH Antibody Picoband


CATALOG # AAA126459	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot, Flow Cytometry, Functional Assay, ELISA
-------------------------------	-----------------------	----------------------------	--

PRODUCT SYNONYMS

CENPH; Polyclonal Antibody; Anti-CENPH Antibody Picoband; anti-CENPH antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Purity/Purification	Immunogen affinity purified.
Form/Format	Lyophilized Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na ₂ HPO ₄ .
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml. (varies by lot)
Applicable Applications for anti-CENPH antibody	WB (Western Blot), FCM/FACS (Flow Cytometry), ELISA
Reconstitution	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Immunogen	E Coli-derived human CENPH recombinant protein (Position: E37-M247).
Preparation and Storage	Store at -20 degree C for one year from date of receipt. After reconstitution, at 4 degree C for one month. It can also be aliquotted and stored frozen at -20 degree C for six months. Avoid repeated freezing and thawing.



FCM/FACS (Flow Cytometry)

Figure 2. Flow Cytometry analysis of SiHa cells using anti-CENPH antibody (AAA126459). Overlay histogram showing SiHa cells stained with AAA126459 (Blue line). The cells were blocked with 10% normal goat serum. And then incubated with rabbit anti-CENPH Antibody (AAA126459, 1 ug/1x10⁶ cells) for 30 min at 20 degree C. DyLight488 conjugated goat anti-rabbit IgG was used as secondary antibody for 30 minutes at 20 degree C. Isotype control antibody (Green line) was rabbit IgG (1 ug/1x10⁶) used under the same conditions. Unlabelled sample (Red line) was also used as a control.



WB (Western Blot)

Figure 1. Western blot analysis of CENPH using anti-CENPH antibody (AAA126459). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel)/90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: human 293T whole cell lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-CENPH antigen affinity purified polyclonal antibody (#AAA126459) at 0.5 ug/mL overnight at 4 degree C, then washed with TBS-0.1% Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit with Tanon 5200 system. A specific band was detected for CENPH at approximately 28 kDa. The expected band size for CENPH is at 28 kDa.

ADDITIONAL INFORMATION

Related Product Information for anti-CENPH antibody	Centromere protein H is a protein that in humans is encoded by the CENPH gene. Centromere and kinetochore proteins play a critical role in centromere structure, kinetochore formation, and sister chromatid separation. The protein encoded by this gene colocalizes with inner kinetochore plate proteins CENP-A and CENP-C in both interphase and metaphase. It localizes outside of centromeric heterochromatin, where CENP-B is localized, and inside the kinetochore corona, where CENP-E is localized during prometaphase. It is thought that this protein can bind to itself, as well as to CENP-A, CENP-B or CENP-C. Multimers of the protein localize constitutively to the inner kinetochore plate and play an important role in the organization and function of the active centromere-kinetochore complex.
Product Categories/Family for anti-CENPH antibody	Primary Antibodies, Rabbit Polyclonal Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	12597655
NCBI GeneID	64946
NCBI Accession #	NP_075060.1
NCBI GenBank Nucleotide #	NM_022909.3
UniProt Accession #	Q9H3R5; A8K3Y1
Molecular Weight	28,481 Da
NCBI Official Full Name	centromere protein H
NCBI Official Synonym Full Names	centromere protein H
NCBI Official Symbol	CENPH
NCBI Protein Information	centromere protein H; CENP-H; kinetochore protein CENP-H; interphase centromere complex protein 35

UniProt Protein Name	Centromere protein H
UniProt Gene Name	CENPH
UniProt Synonym Gene Names	ICEN35; CENP-H
UniProt Entry Name	CENPH_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/cenph-antibody-western-blot-flow-cytometry-elisa/126459>