

Human Trefoil Factor 3, Intestinal (TFF3) CLIA Kit | TFF3 clia kit

Human Trefoil Factor 3, Intestinal (TFF3) CLIA Kit

CATALOG #
AAA130018

REACTIVITY
Human


PRODUCT SYNONYMS

Trefoil Factor 3; Intestinal (TFF3); Human Trefoil Factor 3; Intestinal (TFF3) CLIA Kit; HITF; ITF3; TFI; HP1.B; TFF3 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Trefoil Factor 3, Intestinal (TFF3). No significant cross-reactivity or interference between Trefoil Factor 3, Intestinal (TFF3) and analogues was observed.
Sequence Length	94
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma and other biological fluids
Detection Range	27.4-20,000pg/mL
Sensitivity	10.2pg/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Trefoil Factor 3, Intestinal (TFF3) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Trefoil Factor 3, Intestinal (TFF3) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TFF3 clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Trefoil Factor 3, Intestinal (TFF3). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Trefoil Factor 3, Intestinal (TFF3). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Trefoil Factor 3, Intestinal (TFF3) level in the sample or standard.;
Product Categories/Family for TFF3 clia kit	Tumor immunity; Gastroenterology

NCBI AND UNIPROT INFORMATION

NCBI GI #	281485608
NCBI GeneID	7033
NCBI Accession #	NP_003217.3
NCBI GenBank Nucleotide #	NM_003226.3
UniProt Accession #	Q07654; Q96NX0; Q9UDA5; E9PBB5
Molecular Weight	8,641 Da
NCBI Official Full Name	trefoil factor 3
NCBI Official Synonym Full Names	trefoil factor 3 (intestinal)
NCBI Official Symbol	TFF3
NCBI Official Synonym Symbols	ITF; P1B; TFI
NCBI Protein Information	trefoil factor 3
UniProt Protein Name	Trefoil factor 3
UniProt Gene Name	TFF3
UniProt Synonym Gene Names	ITF; TFI; hITF; hP1.B
UniProt Entry Name	TFF3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.