

Human Alpha-2-Glycoprotein 1, Zinc Binding (aZGP1) CLIA Kit | aZGP1 clia kit

Human Alpha-2-Glycoprotein 1, Zinc Binding (aZGP1) CLIA Kit

CATALOG #
AAA130303


REACTIVITY
Human

PRODUCT SYNONYMS

Alpha-2-Glycoprotein 1; Zinc Binding (aZGP1); Human Alpha-2-Glycoprotein 1; Zinc Binding (aZGP1) CLIA Kit; ZA2G; ZAG; aZGP1 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Alpha-2-Glycoprotein 1, Zinc Binding (aZGP1). No significant cross-reactivity or interference between Alpha-2-Glycoprotein 1, Zinc Binding (aZGP1) and analogues was observed.
Sequence Length	298
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Urine, Saliva, Seminal plasma, Sweat and other biological fluids
Detection Range	0.82-600ng/mL
Sensitivity	0.35ng/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Alpha-2-Glycoprotein 1, Zinc Binding (aZGP1) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Alpha-2-Glycoprotein 1, Zinc Binding (aZGP1) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for aZGP1 clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Alpha-2-Glycoprotein 1, Zinc Binding (aZGP1). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Alpha-2-Glycoprotein 1, Zinc Binding (aZGP1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Alpha-2-Glycoprotein 1, Zinc Binding (aZGP1) level in the sample or standard.;
Product Categories/Family for aZGP1 clia kit	Metabolic pathway

NCBI AND UNIPROT INFORMATION

NCBI GI #	52790422
NCBI GeneID	563
UniProt Accession #	P25311; O60386; Q5XKQ4; Q8N4N0; D6W5T8
Molecular Weight	34,259 Da
NCBI Official Full Name	Alpha-2-glycoprotein 1, zinc-binding
NCBI Official Synonym Full Names	alpha-2-glycoprotein 1, zinc-binding
NCBI Official Symbol	AZGP1
NCBI Official Synonym Symbols	ZAG; ZA2G
NCBI Protein Information	zinc-alpha-2-glycoprotein
UniProt Protein Name	Zinc-alpha-2-glycoprotein
UniProt Gene Name	AZGP1
UniProt Synonym Gene Names	ZAG; ZNGP1; Zn-alpha-2-GP; Zn-alpha-2-glycoprotein
UniProt Entry Name	ZA2G_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.