

## Human Fibroblast Growth Factor 9 (FGF9) CLIA Kit | FGF9 clia kit

Human Fibroblast Growth Factor 9 (FGF9) CLIA Kit

CATALOG #  
**AAA130522**

REACTIVITY  
**Human**


### PRODUCT SYNONYMS

Fibroblast Growth Factor 9 (FGF9); Human Fibroblast Growth Factor 9 (FGF9) CLIA Kit; GAF; HBFG9; Glia-Activating Factor; Heparin-Binding Growth Factor 9; FGF9 clia kit

### PRODUCT SPECIFICATIONS

|                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                                        | Human                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Specificity                                       | This assay has high sensitivity and excellent specificity for detection of Fibroblast Growth Factor 9 (FGF9). No significant cross-reactivity or interference between Fibroblast Growth Factor 9 (FGF9) and analogues was observed.                                                                                                                                                                                                                                                        |
| Sequence Length                                   | 208                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Assay Type                                        | Double-antibody Sandwich                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Samples                                           | Serum, Plasma and other biological fluids                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Detection Range                                   | 5.49-4,000pg/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Sensitivity                                       | 2.49pg/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Application                                       | Chemiluminescent immunoassay for Antigen Detection.                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Intra-assay Precision (Precision within an assay) | 3 samples with low, middle and high level Fibroblast Growth Factor 9 (FGF9) were tested 20 times on one plate, respectively.                                                                                                                                                                                                                                                                                                                                                               |
| Inter-assay Precision (Precision between assays)  | 3 samples with low, middle and high level Fibroblast Growth Factor 9 (FGF9) were tested on 3 different plates, 8 replicates in each plate.                                                                                                                                                                                                                                                                                                                                                 |
| CV(%) =                                           | SD/meanX100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Intra-Assay                                       | CV<10%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Inter-Assay                                       | CV<12%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Preparation and Storage                           | The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition.<br>To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end. |

### IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

|                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Related Product Information for FGF9 clia kit | The microplate provided in this kit has been pre-coated with an antibody specific to Fibroblast Growth Factor 9 (FGF9). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Fibroblast Growth Factor 9 (FGF9). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Fibroblast Growth Factor 9 (FGF9) level in the sample or standard.; |
| Product Categories/Family for FGF9 clia kit   | <a href="#">Cytokine</a> ; <a href="#">Tumor immunity</a> ; <a href="#">Infection immunity</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

NCBI AND UNIPROT INFORMATION

|                                  |                                                                          |
|----------------------------------|--------------------------------------------------------------------------|
| NCBI GI #                        | 4503707                                                                  |
| NCBI GeneID                      | 2254                                                                     |
| NCBI Accession #                 | <a href="#">NP_002001.1</a>                                              |
| NCBI GenBank Nucleotide #        | <a href="#">NM_002010.2</a>                                              |
| UniProt Accession #              | <a href="#">P31371</a> ; <a href="#">Q3SY32</a> ; <a href="#">A8K427</a> |
| Molecular Weight                 | 23,441 Da                                                                |
| NCBI Official Full Name          | fibroblast growth factor 9                                               |
| NCBI Official Synonym Full Names | fibroblast growth factor 9                                               |
| NCBI Official Symbol             | FGF9                                                                     |
| NCBI Official Synonym Symbols    | GAF; FGF-9; SYNS3; HBFG-9; HBGF-9                                        |
| NCBI Protein Information         | fibroblast growth factor 9                                               |
| UniProt Protein Name             | Fibroblast growth factor 9                                               |
| UniProt Gene Name                | <b>FGF9</b>                                                              |
| UniProt Synonym Gene Names       | FGF-9; GAF; HBGF-9                                                       |
| UniProt Entry Name               | FGF9_HUMAN                                                               |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.