

Rat Prolylcarboxypeptidase (PRCP) ELISA Kit | PRCP elisa kit

Rat Prolylcarboxypeptidase (PRCP) ELISA Kit

CATALOG #
AAA136630

REACTIVITY
Rat


PRODUCT SYNONYMS

Prolylcarboxypeptidase (PRCP); Rat Prolylcarboxypeptidase (PRCP) ELISA Kit; PCP; HUMPCP; Lysosomal Pro-X Carboxypeptidase; Angiotensinase C; Lysosomal carboxypeptidase C; Proline carboxypeptidase; PRCP elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of Prolylcarboxypeptidase (PRCP). No significant cross-reactivity or interference between Prolylcarboxypeptidase (PRCP) and analogues was observed.
Sequence Length	496
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates and other biological fluids
Detection Range	0.781-50ng/mL
Sensitivity	0.28ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Prolylcarboxypeptidase (PRCP) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Prolylcarboxypeptidase (PRCP) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PRCP elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Prolylcarboxypeptidase (PRCP). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Prolylcarboxypeptidase (PRCP). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Prolylcarboxypeptidase (PRCP), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Prolylcarboxypeptidase (PRCP) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for PRCP elisa kit	Cardiovascular biology

NCBI AND UNIPROT INFORMATION

NCBI GI #	431321
NCBI GeneID	5547
UniProt Accession #	P42785; A8MU24; B2R7B7; B3KRK5; B5BU34
Molecular Weight	58,100 Da
NCBI Official Full Name	prolylcarboxypeptidase
NCBI Official Synonym Full Names	prolylcarboxypeptidase (angiotensinase C)
NCBI Official Symbol	PRCP
NCBI Official Synonym Symbols	PCP; HUMPCP
NCBI Protein Information	lysosomal Pro-X carboxypeptidase
UniProt Protein Name	Lysosomal Pro-X carboxypeptidase
UniProt Gene Name	PRCP
UniProt Synonym Gene Names	PCP; PRCP
UniProt Entry Name	PCP_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.