

Human Phospholipase D2 (PLD2) ELISA Kit | PLD2 elisa kit

Human Phospholipase D2 (PLD2) ELISA Kit

CATALOG #
AAA138276

REACTIVITY
Human


PRODUCT SYNONYMS

Phospholipase D2 (PLD2); Human Phospholipase D2 (PLD2) ELISA Kit; PLD1C; Choline Phosphatase 2; Phosphatidylcholine-hydrolyzing phospholipase D2; PLD2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Phospholipase D2 (PLD2). No significant cross-reactivity or interference between Phospholipase D2 (PLD2) and analogues was observed.
Sequence Length	922
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates And Other Biological Fluids.
Detection Range	1.56-100ng/mL
Sensitivity	0.55ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Phospholipase D2 (PLD2) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Phospholipase D2 (PLD2) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PLD2 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Phospholipase D2 (PLD2). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Phospholipase D2 (PLD2). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Phospholipase D2 (PLD2), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Phospholipase D2 (PLD2) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for PLD2 elisa kit	Metabolic pathway

NCBI AND UNIPROT INFORMATION

NCBI GI #	2773044
NCBI GeneID	5338
UniProt Accession #	O14939; O43540; O43579; O43580; Q6PGR0; Q96BY3; I3L2C9
Molecular Weight	104,657 Da
NCBI Official Full Name	phospholipase D2
UniProt Protein Name	Phospholipase D2
UniProt Gene Name	PLD2
UniProt Synonym Gene Names	PLD 2; hPLD2
UniProt Entry Name	PLD2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/human-elisa-kits/phospholipase-d2-pld2/138276>