

Porcine Haptoglobin (Hpt) ELISA Kit | Hpt elisa kit

Porcine Haptoglobin (Hpt) ELISA Kit

CATALOG #
AAA139994

REACTIVITY
Porcine


PRODUCT SYNONYMS

Haptoglobin (Hpt); Porcine Haptoglobin (Hpt) ELISA Kit; HP; Hp2-Alpha; Alpha-2-Macroglobulin; Zonulin; Hpt elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Porcine
Specificity	This assay has high sensitivity and excellent specificity for detection of haptoglobin. No significant cross-reactivity or interference between haptoglobin and analogues was observed.
Sequence Length	347
Assay Type	Quantitative Sandwich
Samples	Porcine serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids
Detection Range	31.2-2,000ng/mL
Sensitivity	< 15.3ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level haptoglobin were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level haptoglobin were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for Hpt elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to haptoglobin. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to haptoglobin. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain haptoglobin, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of haptoglobin in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of haptoglobin in porcine serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids.
Product Categories/Family for Hpt elisa kit	Infection immunity; Hematology

NCBI AND UNIPROT INFORMATION

NCBI GI #	386783
NCBI GeneID	3240
UniProt Accession #	P00738; P00737; Q0VAC4; Q0VAC5; Q2PP15; Q3B7J0; Q6LBY9; Q9UC67; B0AZL5
Molecular Weight	38,452 Da
NCBI Official Full Name	haptoglobin
NCBI Official Synonym Full Names	haptoglobin
NCBI Official Symbol	HP
NCBI Official Synonym Symbols	BP; HPA1S; HP2ALPHA2
NCBI Protein Information	haptoglobin
UniProt Protein Name	Haptoglobin
UniProt Gene Name	HP
UniProt Entry Name	HPT_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.