

Human Occludin (OCLN) ELISA Kit | OCLN elisa kit

Human Occludin (OCLN) ELISA Kit

CATALOG #
AAA140258

REACTIVITY
Human


PRODUCT SYNONYMS

Occludin (OCLN); Human Occludin (OCLN) ELISA Kit; Tight Junction Protein Occludin TM4 Minus; OCLN elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of OCLN. No significant cross-reactivity or interference between OCLN and analogues was observed.
Sequence Length	70
Assay Type	Quantitative Sandwich
Samples	Human tissue homogenates, cell lysates, cell culture supernates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	< 0.059ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level OCLN were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level OCLN were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for OCLN elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to OCLN. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to OCLN. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain OCLN, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of OCLN in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of OCLN in human tissue homogenates, cell lysates, cell culture supernates and other biological fluids.
Product Categories/Family for OCLN elisa kit	Signal Transduction

NCBI AND UNIPROT INFORMATION

NCBI GI #	1322282
NCBI GeneID	100506658
UniProt Accession #	Q16625; Q5U1V4; Q8N6K1; B5BU70; D2DU64; D2DU65; D2IGC0; D2IGC1; E2CYV9
Molecular Weight	8,175 Da
NCBI Official Full Name	occludin
NCBI Official Synonym Full Names	occludin
NCBI Official Symbol	OCLN
NCBI Official Synonym Symbols	BLCPMG; PPP1R115
NCBI Protein Information	occludin
UniProt Protein Name	Occludin
UniProt Gene Name	OCLN
UniProt Entry Name	OCLN_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.