

Mouse Osteopontin (OPN) CLIA Kit | OPN clia kit

Mouse Osteopontin (OPN) CLIA Kit

CATALOG #
AAA140997

REACTIVITY
Mouse


PRODUCT SYNONYMS

Osteopontin (OPN); Mouse Osteopontin (OPN) CLIA Kit; SPP1; BNSP; BSPI; ETA1; Secreted Phosphoprotein 1; Bone Sialoprotein I; Early T-Lymphocyte Activation 1; Nephropontin; Urinary stone protein; Uropontin; OPN clia kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of Osteopontin (OPN). No significant cross-reactivity or interference between Osteopontin (OPN) and analogues was observed.
Sequence Length	300
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	6.86-5,000pg/mL
Sensitivity	2.47pg/mL
Application	Chemiluminescent immunoassay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Osteopontin (OPN) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Osteopontin (OPN) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for OPN clia kit	The microplate provided in this kit has been pre-coated with an antibody specific to Osteopontin (OPN). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Osteopontin (OPN). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Osteopontin (OPN) level in the sample or standard.;
Product Categories/Family for OPN clia kit	Tumor immunity; Bone metabolism

NCBI AND UNIPROT INFORMATION

NCBI GI #	189405
NCBI GeneID	6696
Molecular Weight	33,843 Da
NCBI Official Full Name	osteopontin
NCBI Official Synonym Full Names	secreted phosphoprotein 1
NCBI Official Symbol	SPP1
NCBI Official Synonym Symbols	OPN; BNSP; BSPI; ETA-1
NCBI Protein Information	osteopontin
UniProt Protein Name	Osteopontin
UniProt Gene Name	SPP1
UniProt Synonym Gene Names	BNSP; OPN; SPP-1
UniProt Entry Name	OSTP_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/mouse-clia-kits/osteopontin-opn/140997>