

Rabbit Reelin Polyclonal Antibody | anti-RL antibody

Polyclonal Antibody to Reelin (RL)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA143140	Rabbit	Human, Mouse, Rat	ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot

PRODUCT SYNONYMS


Reelin; Polyclonal Antibody; Polyclonal Antibody to Reelin (RL); anti-RL antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against RL. It has been selected for its ability to recognize RL in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Liquid
Concentration	500ug/mL (varies by lot)
Applicable Applications for anti-RL antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Fragment	Reelin (Glu2398~Leu2608)
Organism Species	Homo sapiens (Human)
Cross Reactivity	Human
Conjugate	No Conjugate
Immunogen	Recombinant Reelin (Glu2398~Leu2608) expressed in E Coli.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.



IHC (Immunohiostchemistry)
DAB staining on IHC-P; Samples: Human Prostate cancer Tissue



WB (Western Blot)
Western Blot: Sample: Recombinant protein.

NCBI AND UNIPROT INFORMATION

NCBI GI #	27436938
NCBI GeneID	5649
NCBI Accession #	NP_005036.2
NCBI GenBank Nucleotide #	NM_005045.3
UniProt Accession #	P78509; Q86UJ0; Q86UJ8; Q8NDV0; Q9UDQ2; A4D0P9; A4D0Q0
Molecular Weight	384,093 Da
NCBI Official Full Name	reelin isoform a
NCBI Official Synonym Full Names	reelin
NCBI Official Symbol	RELN
NCBI Official Synonym Symbols	RL; ETL7; LIS2; PRO1598
NCBI Protein Information	reelin
UniProt Protein Name	Reelin
UniProt Gene Name	RELN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.