

Rabbit Ubiquitously Expressed Transcript Polyclonal Antibody | anti-UXT antibody

Ubiquitously Expressed Transcript (UXT) Polyclonal Antibody

CATALOG # AAA144690	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS ELISA, Immunohistochemistry, Immunocytochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

Ubiquitously Expressed Transcript; Polyclonal Antibody; Ubiquitously Expressed Transcript (UXT) Polyclonal Antibody; ART27; Androgen receptor trapped clone 27 protein; Ubiquitously expressed transcript protein; anti-UXT antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against UXT. It has been selected for its ability to recognize UXT in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Supplied as solution form in PBS, pH7.4 containing 0.02% NaN ₃ , 50% glycerol.
Concentration	500ug/mL (varies by lot)
Sequence Length	157
Applicable Applications for anti-UXT antibody	ELISA, IHC (Immunohistochemistry), ICC (Immunocytochemistry), WB (Western Blot)
Immunoglobulin Type	IgG
Conjugate	No Conjugate
Cross Reactivity	Human
Organism Species	Human
Fragment	UXT (Glu15~His157)
Quality Control	Content: The quality control contains recombinant UXT (Glu15~His157) disposed in loading buffer. Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescient (ECL). Note: The quality control is specifically manufactured as the positive control. Not used for other purposes. Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN ₃ 0.02%.
Conjugated Antibody	The APC conjugated antibody version of this item is also available as
Preparation and Storage	Store at 4 degree C for frequent use. Stored at -20 degree C to -80 degree C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.


IMAGES



IHC (Immunohistochemisry)
DAB staining on IHC-P; Samples: Human Thyroid Tissue



IHC (Immunohiostchemistry)
DAB staining on fromalin fixed paraffin- embedded Kidney tissue



WB (Western Blot)
Western Blot: Sample: Recombinant protein.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4759298
NCBI GeneID	8409
NCBI Accession #	NP_004173.1
NCBI GenBank Nucleotide #	NM_004182.3
UniProt Accession #	Q9UBK9; Q5JZG3; Q9Y6E5; A0A0C4DFR8; B2R561
Molecular Weight	19,597 Da
NCBI Official Full Name	protein UXT isoform 2
NCBI Official Synonym Full Names	ubiquitously expressed prefoldin like chaperone
NCBI Official Symbol	UXT
NCBI Official Synonym Symbols	STAP1; ART-27
NCBI Protein Information	protein UXT
UniProt Protein Name	Protein UXT
UniProt Gene Name	UXT
UniProt Synonym Gene Names	ART-27

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

