

Human Hypoxia Inducible Factor 1 Alpha (HIF1a) ELISA Kit | HIF1a elisa kit

High Sensitive Human Hypoxia Inducible Factor 1 Alpha (HIF1a) ELISA Kit

CATALOG #
AAA148455

REACTIVITY
Human


PRODUCT SYNONYMS

Hypoxia Inducible Factor 1 Alpha (HIF1a); High Sensitive Human Hypoxia Inducible Factor 1 Alpha (HIF1a) ELISA Kit; HIF1-A; MOP1; PASD8; Basic Helix-Loop-Helix Transcription Factor; ARNT-interacting protein; Basic-helix-loop-helix-PAS protein MOP1; Class E basic helix-loop-helix protein 78; HIF1a elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of High Sensitive Hypoxia Inducible Factor 1 Alpha (HIF1a). No significant cross-reactivity or interference between High Sensitive Hypoxia Inducible Factor 1 Alpha (HIF1a) and analogues was observed.
Sequence Length	850
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue homogenates, Cell lysates, Cell culture supernates and other biological fluids
Detection Range	31.2-2,000pg/mL
Sensitivity	13.9pg/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level High Sensitive Hypoxia Inducible Factor 1 Alpha (HIF1a) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level High Sensitive Hypoxia Inducible Factor 1 Alpha (HIF1a) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for HIF1a elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to High Sensitive Hypoxia Inducible Factor 1 Alpha (HIF1a). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to High Sensitive Hypoxia Inducible Factor 1 Alpha (HIF1a). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain High Sensitive Hypoxia Inducible Factor 1 Alpha (HIF1a), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of High Sensitive Hypoxia Inducible Factor 1 Alpha (HIF1a) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for HIF1a elisa kit	Tumor immunity; Cardiovascular biology; Reproductive science

NCBI AND UNIPROT INFORMATION

NCBI GI #	340545531
NCBI GeneID	3091
NCBI Accession #	NP_001230013.1
NCBI GenBank Nucleotide #	NM_001243084.1
UniProt Accession #	Q16665; Q53XP6; Q96PT9; Q9UPB1; C0LZJ3
Molecular Weight	95,634 Da
NCBI Official Full Name	hypoxia-inducible factor 1-alpha isoform 3
NCBI Official Synonym Full Names	hypoxia inducible factor 1 alpha subunit
NCBI Official Symbol	HIF1A
NCBI Official Synonym Symbols	HIF1; MOP1; PASD8; HIF-1A; bHLHe78; HIF-1alpha; HIF1-ALPHA; HIF-1-alpha
NCBI Protein Information	hypoxia-inducible factor 1-alpha
UniProt Protein Name	Hypoxia-inducible factor 1-alpha
UniProt Gene Name	HIF1A
UniProt Synonym Gene Names	bHLHe78

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/human-elisa-kits/hypoxia-inducible-factor-1-alpha-hif1a/148455>