

Human Von Willebrand Factor (vWF) ELISA Kit | vWF elisa kit

Human Von Willebrand Factor (vWF) ELISA Kit

CATALOG #
AAA148542

REACTIVITY
Human


PRODUCT SYNONYMS

Von Willebrand Factor (vWF); Human Von Willebrand Factor (vWF) ELISA Kit; F8VWF; VWD; von Willebrand antigen 2; vWF elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Von Willebrand Factor (vWF). No significant cross-reactivity or interference between Von Willebrand Factor (vWF) and analogues was observed.
Sequence Length	2813
Assay Type	Double-antibody Sandwich
Samples	Plasma
Detection Range	0.156-10ng/mL
Sensitivity	0.059ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Von Willebrand Factor (vWF) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Von Willebrand Factor (vWF) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for vWF elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Von Willebrand Factor (vWF). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Von Willebrand Factor (vWF). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Von Willebrand Factor (vWF), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Von Willebrand Factor (vWF) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Product Categories/Family for vWF elisa kit	Signal transduction; Hematology

NCBI AND UNIPROT INFORMATION

NCBI GI #	89191868
NCBI GeneID	7450
NCBI Accession #	NP_000543.2
NCBI GenBank Nucleotide #	NM_000552.4
UniProt Accession #	P04275; Q8TCE8; Q99806
Molecular Weight	38,745 Da
NCBI Official Full Name	von Willebrand factor preproprotein
NCBI Official Synonym Full Names	von Willebrand factor
NCBI Official Symbol	VWF
NCBI Official Synonym Symbols	VWD; F8VWF
NCBI Protein Information	von Willebrand factor
UniProt Protein Name	von Willebrand factor
UniProt Gene Name	VWF
UniProt Synonym Gene Names	F8VWF; vWF

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/human-elisa-kits/von-willebrand-factor-vwf/148542>