

Colony Stimulating Factor 1, Macrophage (MCSF) Active Protein | MCSF active protein

Active Colony Stimulating Factor 1, Macrophage (MCSF)

CATALOG # AAA150971	HOST 293F Cell	APPLICATIONS Activity Assay, Cell Culture
-------------------------------	--------------------------	---

PRODUCT SYNONYMS

Colony Stimulating Factor 1; Macrophage (MCSF); Active Colony Stimulating Factor 1; MCSF/Colony Stimulating Factor 1; Macrophage; CSF1; M-CSF; Lanimostim; Processed macrophage colony-stimulating factor 1; MCSF active protein

PRODUCT SPECIFICATIONS


Host	293F Cell
Purity/Purification	Greater than 95% by SDS-PAGE
Form/Format	Freeze-dried powder PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Sequence	Lys33~Glu2 62
Applicable Applications for MCSF active protein	Activity Assay, Cell Culture
Endotoxin	<1.0EU per 1ug (determined by the LAL method)
Tag	N-terminal His Tag
Biological Activity	Active
Expression System	Eukaryotic expression
Organism Species	Mouse
Isoelectric Point	5.1
Subcellular Location	Secreted
Reconstitution	Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0mg/mL. Do not vortex.
Preparation and Storage	Store at 2-8 degree C for one month, -80 degree C for 12 months Stable for 12 months if correctly stored. The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

IMAGES


Sequence

LQQLIDSQME TSCQIAFEFV DQEQLDDPVC YLKKAFFLVQ DIIETMRFK
DNTPNANATE RLQELSNLNL SCFTKDYEEQ NKACVRFHE TPLQLEKIK
NFFNETKNLL EKDWNIPTKN CNNSFAKCSS RDVVTKPCDN CLYPKATPSS
DPASASPHQP PAPSMAFLAG LAWDDSQRTE GSSLLPSELP LRIEDPGSAK
QRPPRSTCQT LE


KEVSEHCS HMIGNHGLKV



Bioactivity
The binding activity of M-CSF with M-CSF-R.



SDS-PAGE
SDS-PAGE



Sequence
Gene Sequencing (extract)

ADDITIONAL INFORMATION

Related Product Information for MCSF active protein	Macrophage Colony Stimulating Factor (M-CSF), also known as CSF-1, is a secreted cytokine which influences hematopoietic stem cells to differentiate into macrophages or other related cell types. M-CSF (or CSF-1) is a hematopoietic growth factor that is involved in the proliferation, differentiation, and survival of monocytes, macrophages, and bone marrow progenitor cells. It can also affect macrophages and monocytes in several ways, including stimulating increased phagocytic and chemotactic activity, and increased tumour cell cytotoxicity. The role of M-CSF is not only restricted to the monocyte/macrophage cell lineage. By interacting with its membrane receptor (CSF-1R or M-CSF-R encoded by the c-fms proto-oncogene), M-CSF also modulates the proliferation of earlier hematopoietic progenitors and influence numerous physiological processes involved in immunology, metabolism, fertility and pregnancy. Besides, Colony Stimulating Factor Receptor, Macrophage (M-CSF-R) has been identified as an interactor of M-CSF, thus a binding ELISA assay was conducted to detect the interaction of recombinant mouse M-CSF and recombinant mouse M-CSF-R. Briefly, M-CSF were diluted serially in PBS, with 0.01% BSA (pH 7.4). Duplicate samples of 100 uL were then transferred to M-CSF-R coated microtiter wells and incubated for 2 h at 37 degree C. Wells were washed with PBST and incubated for 1 h with anti-M-CSF pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed 3 times. With the addition of substrate solution, wells were incubated 15-25 minutes at 37 degree C. Finally, add 50 uL stop solution to the wells and read at 450 nm immediately. The binding activity of M-CSF and M-CSF-R was shown in Figure 1, and this effect was in a dose dependent manner.
Product Categories/Family for MCSF active protein	Cytokine; Infection immunity; Active, eukaryotic recombinant

NCBI AND UNIPROT INFORMATION

NCBI GI #	166064046
NCBI GeneID	12977
NCBI Accession #	NP_001107001.1

NCBI GenBank Nucleotide #	NM_001113529.1
UniProt Accession #	P07141 ; Q3U395 ; Q8R3C8
Molecular Weight	29,353 Da
NCBI Official Full Name	macrophage colony-stimulating factor 1 isoform 2
NCBI Official Synonym Full Names	colony stimulating factor 1 (macrophage)
NCBI Official Symbol	Csf1
NCBI Official Synonym Symbols	op; Csfm; MCSF; C87615
NCBI Protein Information	macrophage colony-stimulating factor 1; osteopetrosis
UniProt Protein Name	Macrophage colony-stimulating factor 1
UniProt Gene Name	Csf1
UniProt Synonym Gene Names	Csfm; CSF-1; MCSF
UniProt Entry Name	CSF1_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/293f-active-protein/colony-stimulating-factor-1-macrophage-mcsf/150971>