

Human Protocadherin 19 (PCDH19) ELISA Kit | PCDH19 elisa kit

Human Protocadherin 19 (PCDH19)(Sandwich ELISA) ELISA Kit

CATALOG #
AAA152497

REACTIVITY
Human


PRODUCT SYNONYMS

Protocadherin 19 (PCDH19); Human Protocadherin 19 (PCDH19)(Sandwich ELISA) ELISA Kit; ELISA Kit for Protocadherin 19 (PCDH19); PCDH19 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of PCDH19. No significant cross-reactivity or interference between PCDH19 and analogues was observed.
Assay Type	Quantitative Sandwich
Samples	Human tissue homogenates, cell lysates and other biological fluids
Detection Range	0.312-20ng/mL
Sensitivity	< 0.114ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level PCDH19 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level PCDH19 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	Store at 4 degree C for 1 month/-20 degree C for long-term (within shelf life) Shelf-life: one year The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PCDH19 elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to PCDH19. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to PCDH19. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain PCDH19, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of PCDH19 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of PCDH19 in human tissue homogenates, cell lysates and other biological fluids.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	296434287
NCBI GeneID	57526
NCBI Accession #	NP_001171809.1
NCBI GenBank Nucleotide #	NM_001184880.1
UniProt Accession #	Q8TAB3; Q5JTG1; Q5JTG2; Q68DT7; Q9P2N3; B0LDS4
Molecular Weight	126,253 Da
NCBI Official Full Name	protocadherin-19 isoform c
NCBI Official Synonym Full Names	protocadherin 19
NCBI Official Symbol	PCDH19
NCBI Official Synonym Symbols	EFMR; EIEE9
NCBI Protein Information	protocadherin-19
UniProt Protein Name	Protocadherin-19
UniProt Gene Name	PCDH19
UniProt Synonym Gene Names	KIAA1313
UniProt Entry Name	PCD19_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.