

Rabbit anti-Mouse, Rat T-Cell Activation Rho GTPase Activating Protein (TAGAP) Polyclonal Antibody | anti-TAGAP antibody

Polyclonal Antibody to T-Cell Activation Rho GTPase Activating Protein (TAGAP)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA152615	Rabbit	Mouse, Rat	Immunoprecipitation, Immunocytochemistry, Immunohistochemistry, Western Blot



PRODUCT SYNONYMS

T-Cell Activation Rho GTPase Activating Protein (TAGAP); Polyclonal Antibody; Polyclonal Antibody to T-Cell Activation Rho GTPase Activating Protein (TAGAP); T-Cell Activation Rho GTPase Activating Protein; IDDM21; anti-TAGAP antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Mouse, Rat
Clonality	Polyclonal
Specificity	The antibody is a rabbit polyclonal antibody raised against TAGAP. It has been selected for its ability to recognize TAGAP in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Liquid. 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	0.5mg/mL (varies by lot)
Sequence Positions	Met1~Phe277
Applicable Applications for anti-TAGAP antibody	IP (Immunoprecipitation), ICC (Immunocytochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant T-Cell Activation Rho GTPase Activating Protein (TAGAP)
Preparation and Storage	Store at 4 degree C for frequent use. Store at -20 degree C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. Stable for 12 months if correctly stored. The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

IMAGES




IHC (Immunohistochemisry)
DAB staining on IHC-P;Sample: Mouse Kidney Tissue; Primary Ab: 20ug/ml Rabbit Anti-Mouse TAGAP AntibodySecond Ab: 2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

WB (Western Blot)
Western Blot; Sample: Lane1: Mouse Testis lysate; Lane2: Rat Testis lysate Primary Ab: 1 ug/ml Rabbit Anti-Mouse TAGAP Antibody Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody



IHC (Immunohiostchemistry)
DAB staining on IHC-P;Sample: Mouse cerebUM Tissue; Primary Ab: 20ug/ml Rabbit Anti-Mouse TAGAP AntibodySecond Ab: 2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody



IHC (Immunohistochemistry)
DAB staining on IHC-P; Sample: Mouse Liver Tissue; Primary Ab: 20ug/ml Rabbit Anti-Mouse TAGAP Antibody Second Ab: 2ug/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody

ADDITIONAL INFORMATION

Product Categories/Family for anti-TAGAP antibody	Polyclonal Antibodies (Primary Abs); Polyclonal antibodies; Immune molecule
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	22165374
NCBI GeneID	72536
NCBI Accession #	NP_666080.1
NCBI GenBank Nucleotide #	NM_145968.2
UniProt Accession #	B2RWW0; Q8K2L9; Q920D6
Molecular Weight	78,920 Da
NCBI Official Full Name	T-cell activation Rho GTPase-activating protein
NCBI Official Synonym Full Names	T cell activation Rho GTPase activating protein
NCBI Official Symbol	Tagap
NCBI Official Synonym Symbols	2610315E15Rik
NCBI Protein Information	T-cell activation Rho GTPase-activating protein; T-cell activation GTPase-activating protein 1
UniProt Protein Name	T-cell activation Rho GTPase-activating protein

UniProt Gene Name	Tagap
UniProt Entry Name	TAGAP_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/t-cell-activation-rho-gtpase-activating-protein-tagap-antibody-immunoprecipitation-immunocytochemistry-immunohistochemistry-western-blot-elisa/152615>