

B-Lymphocyte Activation Antigen B7-1 (LAB7-1) Active Protein | LAB7-1 active protein

Active B-Lymphocyte Activation Antigen B7-1 (LAB7-1)

CATALOG # AAA153083	HOST 293F Cell	APPLICATIONS Activity Assay, Cell Culture
-------------------------------	--------------------------	---


PRODUCT SYNONYMS

B-Lymphocyte Activation Antigen B7-1 (LAB7-1); Active B-Lymphocyte Activation Antigen B7-1 (LAB7-1); B-Lymphocyte Activation Antigen B7-1; LAB7-1 active protein (eukaryotic; 293F Cell); Human; CD80; CD28LG; CD28LG1; BB1; B7-1 Antigen; T-lymphocyte activation antigen CD80; CTLA-4 counter-receptor B7.1; LAB7-1 active protein

PRODUCT SPECIFICATIONS


Host	293F Cell
Purity/Purification	Greater than 95% by SDS-PAGE
Form/Format	PBS, pH7.4, containing 0.01% SKL, 5% Trehalose. Freeze-dried powder
Sequence Positions	Val35~Asn242
Applicable Applications for LAB7-1 active protein	Activity Assay, Cell Culture
Expression System	Eukaryotic expression
Species	Human
Tag	N-terminal His
Endotoxin Level	<1.0EU per 1ug (determined by the LAL method)
Isoelectric Point	5.4
Research Area	CD & Adhesion molecule
Preparation and Storage	Store at 2-8 degree C for one month, -80 degree C for 12 months Stable for 12 months if correctly stored.

IMAGES



Bioactivity

B-Lymphocyte Activation Antigen B7-1 (CD80) is a membrane receptor that is activated by the binding of CD28 or CTLA-4. The activated protein induces T-cell proliferation and cytokine production. This protein can act as a receptor for adenovirus subgroup B



SDS-PAGE

Figure. SDS-PAGE

ADDITIONAL INFORMATION

Product Categories/Family for LAB7-1 active protein	Active proteins
---	-----------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	461606
NCBI GeneID	941
UniProt Accession #	P33681; Q5DTA9; Q5DTB0
Molecular Weight	18,761 Da
NCBI Official Full Name	T-lymphocyte activation antigen CD80
NCBI Official Synonym Full Names	CD80 molecule
NCBI Official Symbol	CD80
NCBI Official Synonym Symbols	B7; BB1; B7-1; B7.1; LAB7; CD28LG; CD28LG1
NCBI Protein Information	T-lymphocyte activation antigen CD80
UniProt Protein Name	T-lymphocyte activation antigen CD80
UniProt Gene Name	CD80
UniProt Synonym Gene Names	CD28LG; CD28LG1; LAB7; B7

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/293f-active-protein/b-lymphocyte-activation-antigen-b7-1-lab7-1/153083>