

Rabbit anti-Human CRLF1 Polyclonal Antibody | anti-CRLF1 antibody

Anti-CRLF1 Antibody (aa130-415) IHC-plus

CATALOG # AAA162212	HOST Rabbit	REACTIVITY Human	APPLICATIONS Western Blot, Immunohistochemistry
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

CRLF1; Polyclonal Antibody; Anti-CRLF1 Antibody (aa130-415) IHC-plus; Rabbit Polyclonal (IgG) to Human CRLF1; Human CRLF1; CISS1; Cytokine-like factor 1; CISS; CLF; CLF-1; NR6; Zcytor5; Class I cytokine receptor; anti-CRLF1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Specificity	Human CRLF1
Purity/Purification	Immunoaffinity purified
Form/Format	0.1 M Tris-glycine, pH 7.0, 10% glycerol, 0.01% Thimerosal
Concentration	1 mg/ml (varies by lot)
Sequence Length	422
Applicable Applications for anti-CRLF1 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Immunogen	CRLF1 antibody was raised against recombinant fragment corresponding to a region within amino acids 130 and 415 of CRLF1 (SwissProt O75462). Percent identity by BLAST analysis: Human (100%); Mouse, Rat (99%).
Immunogen Description	Recombinant fragment corresponding to a region within amino acids 130 and 415 of CRLF1 (SwissProt O75462). Percent identity by BLAST analysis: Human (100%); Mouse, Rat (99%).
Immunogen Type	Recombinant protein
Antigen Modification	aa130-415
Target Species	Human
Preparation and Storage	Keep as concentrated solution. Aliquot and store at -20 degree C or below. Avoid multiple freeze-thaw cycles.

IMAGES




WB (Western Blot)

Sample (30 ug of whole cell lysate). A: Hep G2. 10% SDS PAGE. CRLF1 antibody diluted at 1:3000



IHC (Immunohistochemistry)

Anti-CRLF1 antibody IHC staining of human heart. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 7.5 ug/ml.



IHC (Immunohistochemistry)

Anti-CRLF1 antibody IHC staining of human skeletal muscle. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

ADDITIONAL INFORMATION

Related Product Information for anti-CRLF1 antibody	CRLF1 Antibody, CISS1 Antibody, Cytokine-like factor 1 Antibody, CISS Antibody, CLF Antibody, CLF-1 Antibody, NR6 Antibody, Zcytor5 Antibody, Class I cytokine receptor Antibody Description: Cytokine receptor subunit, possibly playing a regulatory role in the immune system and during fetal development. May be involved in nervous system development.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	4758062
NCBI GeneID	9244
NCBI Accession #	NP_004741.1
NCBI GenBank Nucleotide #	NM_004750.4
UniProt Accession #	O75462; Q9UHH5
Molecular Weight	46,302 Da
NCBI Official Full Name	cytokine receptor-like factor 1
NCBI Official Synonym Full Names	cytokine receptor-like factor 1
NCBI Official Symbol	CRLF1
NCBI Official Synonym Symbols	CLF; NR6; CISS; CISS1; CLF-1; zcytor5
NCBI Protein Information	cytokine receptor-like factor 1

UniProt Protein Name	Cytokine receptor-like factor 1
UniProt Gene Name	CRLF1
UniProt Synonym Gene Names	CLF-1
UniProt Entry Name	CRLF1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/crff1-antibody-western-blot-immunohistochemistry-elisa/162212>