

Rabbit anti-Human FBP/FOLR2 Polyclonal Antibody | anti-FOLR2 antibody

FBP/FOLR2 Rabbit anti-Human Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA162939	Rabbit	Human	Immunohistochemistry, Immunofluorescence, ELISA


PRODUCT SYNONYMS

FBP/FOLR2; Polyclonal Antibody; FBP/FOLR2 Rabbit anti-Human Polyclonal Antibody; IHC-plus FBP/FOLR2 Antibody; FOLR2; BETA-HFR; Folate receptor 2 (fetal); FR-P3; FBP; FBP/PL-1; FR-BETA; Folate receptor 2; Folate receptor; beta; Folate receptor beta; anti-FOLR2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Protein G purified
Form/Format	0.01 M PBS, pH7.4, 0.03% ProClin 300, 50% Glycerol
Concentration	1mg/ml (varies by lot)
Applicable Applications for anti-FOLR2 antibody	IHC (Immunohistochemistry), IF (Immunofluorescence), ELISA
Target	Human FBP/FOLR2
Immunogen	Recombinant Human Folate receptor beta protein (35-167AA)
Conjugation	Unconjugated
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES




IHC (Immunohistochemistry)

FBP/FOLR2 Antibody-Immunohistochemistry Dilution at 1:400 and staining in paraffin-embedded human placenta tissue performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal Goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated Secondary antibody and visualized using an HRP conjugated SP system.



IHC (Immunohistochemistry)

FBP/FOLR2 Antibody-Human Placenta: Formalin-Fixed, Paraffin-Embedded (FFPE)



ICC (Immunocytochemistry)

FBP/FOLR2 Antibody-Immunofluorescence staining of HeLa cells diluted at 1:133, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4 degree C. The Secondary antibody was Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG (H+L).

ADDITIONAL INFORMATION

Related Product Information for anti-FOLR2 antibody	FOLR2 antibody is an unconjugated rabbit polyclonal antibody to human FOLR2 (FBP). Validated for ELISA, IF and IHC. Tested on 20 paraffin-embedded human tissues.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	166064050
NCBI GeneID	2350
NCBI Accession #	NP_000794.3
NCBI GenBank Nucleotide #	NM_000803
UniProt Accession #	P14207; Q05CA5; Q6GTE8
Molecular Weight	29,280 Da
NCBI Official Full Name	folate receptor beta
NCBI Official Synonym Full Names	folate receptor beta
NCBI Official Symbol	FOLR2
NCBI Official Synonym Symbols	FBP; FR-P3; FR-BETA; BETA-HFR; FBP/PL-1
NCBI Protein Information	folate receptor beta
UniProt Protein Name	Folate receptor beta
UniProt Gene Name	FOLR2
UniProt Synonym Gene Names	FR-beta; FBP

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/fbp-folr2-antibody-immunohistochemistry-immunofluorescence-elisa/162939>