

Rabbit MMP-8 ELISA Kit | MMP-8 elisa kit

Rabbit MMP-8 (Matrix Metalloproteinase 8) ELISA Kit

CATALOG #
AAA164593

REACTIVITY
Rabbit


PRODUCT SYNONYMS

MMP-8; Rabbit MMP-8 (Matrix Metalloproteinase 8) ELISA Kit; MMP-8 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rabbit
Specificity	This kit recognizes natural and recombinant Rabbit MMP-8. No significant cross-reactivity or interference between Rabbit MMP-8 and analogues was observed.
Samples	Serum, Plasma, Biological Fluids
Assay Type	Sandwich
Detection Range	0.156-10ng/mL
Sensitivity	Min: 0.094ng/mL; Max: 10ng/mL
Preparation and Storage	Store at 4 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MMP-8 elisa kit

Intended Uses: This ELISA kit applies to the in vitro quantitative determination of Rabbit MMP-8 concentrations in serum, plasma and other biological fluids.

Principle of the Assay||This ELISA kit uses Sandwich-ELISA as the method. The micro ELISA plate provided in this kit has been pre-coated with an antibody specific to MMP-8. Standards or samples are added to the appropriate micro ELISA plate wells and combined with the specific antibody. Then a biotinylated detection antibody specific for MMP-8 and Avidin-Horseradish Peroxidase (HRP) conjugate is added to each micro plate well successively and incubated. Free components are washed away. The substrate solution is added to each well. Only those wells that contain MMP-8, biotinylated detection antibody and Avidin-HRP conjugate will appear blue in color. The enzyme-substrate reaction is terminated by the addition of a sulphuric acid solution and the color turns yellow. The optical density (OD) is measured spectrophotometrically at a wavelength of 450 nm +/- 2 nm. The OD value is proportional to the concentration of MMP-8. You can calculate the concentration of MMP-8 in the samples by comparing the OD of the samples to the standard curve.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/rabbit-elisa-kits/mmp-8/164593>