

Mouse TNC ELISA Kit | TNC elisa kit

Mouse TNC (Tenascin C) ELISA Kit

CATALOG #
AAA164683

REACTIVITY
Mouse


PRODUCT SYNONYMS

TNC; Mouse TNC (Tenascin C) ELISA Kit; TNC elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This kit recognizes Mouse TNC in samples. No significant cross-reactivity or interference between Mouse TNC and analogues was observed.
Sequence Length	2201
Samples	Serum, plasma and other biological fluids
Assay Type	Quantitative Sandwich
Detection Range	15.63-1000pg/mL
Sensitivity	9.38pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, mid range and high level Mouse TNC were tested 20 times on one plate, respectively.
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, mid range and high level Mouse TNC were tested on 3 different plates, 20 replicates in each plate.
Preparation and Storage	Store at 4 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TNC elisa kit	Intended Uses: This ELISA kit applies to the in vitro quantitative determination of Mouse TNC concentrations in serum, plasma and other biological fluids. Principle of the Assay: This ELISA kit uses the Sandwich-ELISA principle. The micro ELISA plate provided in this kit has been pre-coated with an antibody specific to Mouse TNC. Standards or samples are added to the micro ELISA plate wells and combined with the specific antibody. Then a biotinylated detection antibody specific for Mouse TNC and Avidin-Horseradish Peroxidase (HRP) conjugate are added successively to each micro plate well and incubated. Free components are washed away. The substrate solution is added to each well. Only those wells that contain Mouse TNC, biotinylated detection antibody and Avidin-HRP conjugate will appear blue in color. The enzyme-substrate reaction is terminated by the addition of stop solution and the color turns yellow. The optical density (OD) is measured spectrophotometrically at a wavelength of 450 nm +/- 2 nm. The OD value is proportional to the concentration of Mouse TNC. You can calculate the concentration of Mouse TNC in the samples by comparing the OD of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	153946395
NCBI GeneID	3371
NCBI Accession #	NP_002151.2
NCBI GenBank Nucleotide #	NM_002160.3
UniProt Accession #	P24821; Q14583; Q15567; Q5T7S3; C9IYT7; C9J575; C9J6D9; C9J848
Molecular Weight	171,360 Da
NCBI Official Full Name	tenascin
NCBI Official Synonym Full Names	tenascin C
NCBI Official Symbol	TNC
NCBI Official Synonym Symbols	GP; JI; TN; HXB; GMEM; TN-C; DFNA56; 150-225
NCBI Protein Information	tenascin; GP 150-225; cytotactin; deafness, autosomal dominant 56; glioma-associated-extracellular matrix antigen; hexabrachion (tenascin); myotendinous antigen; neuronectin; tenascin-C additional domain 1; tenascin-C isoform 14/AD1/16
UniProt Protein Name	Tenascin
UniProt Gene Name	TNC
UniProt Synonym Gene Names	HXB; TN; TN-C
UniProt Entry Name	TENA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.