

Sheep GFAP ELISA Kit | GFAP elisa kit

Sheep GFAP (Glial Fibrillary Acidic Protein) ELISA Kit

CATALOG #
AAA165442

REACTIVITY
Sheep


PRODUCT SYNONYMS

GFAP; Sheep GFAP (Glial Fibrillary Acidic Protein) ELISA Kit; GFAP elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Sheep
Specificity	This kit recognizes Sheep GFAP in samples. No significant cross-reactivity or interference between Sheep GFAP and analogues was observed.
Sequence Length	432
Samples	Serum, plasma and other biological fluids
Assay Type	Quantitative Sandwich
Detection Range	0.156-10ng/mL
Sensitivity	0.094ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, mid range and high level Sheep GFAP were tested 20 times on one plate, respectively.
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, mid range and high level Sheep GFAP were tested on 3 different plates, 20 replicates in each plate.
Preparation and Storage	Store at 4 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for GFAP elisa kit	Intended Uses: This ELISA kit applies to the in vitro quantitative determination of Sheep GFAP concentrations in serum, plasma and other biological fluids. Principle of the Assay: This ELISA kit uses the Sandwich-ELISA principle. The micro ELISA plate provided in this kit has been pre-coated with an antibody specific to Sheep GFAP. Standards or samples are added to the micro ELISA plate wells and combined with the specific antibody. Then a biotinylated detection antibody specific for Sheep GFAP and Avidin-Horseradish Peroxidase (HRP) conjugate are added successively to each micro plate well and incubated. Free components are washed away. The substrate solution is added to each well. Only those wells that contain Sheep GFAP, biotinylated detection antibody and Avidin-HRP conjugate will appear blue in color. The enzyme-substrate reaction is terminated by the addition of stop solution and the color turns yellow. The optical density (OD) is measured spectrophotometrically at a wavelength of 450 nm +/- 2 nm. The OD value is proportional to the concentration of Sheep GFAP. You can calculate the concentration of Sheep GFAP in the samples by comparing the OD of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	251802
NCBI GeneID	2670
UniProt Accession #	P14136; Q53H98; Q5D055; Q6ZQS3; Q7Z5J6; Q7Z5J7; Q96KS4; Q96P18; Q9UFD0; B2RD44; D3DX59; E9PAX3
Molecular Weight	49,508 Da
NCBI Official Full Name	glial fibrillary acidic protein
NCBI Official Synonym Full Names	glial fibrillary acidic protein
NCBI Official Symbol	GFAP
NCBI Protein Information	glial fibrillary acidic protein
UniProt Protein Name	Glial fibrillary acidic protein
UniProt Gene Name	GFAP
UniProt Synonym Gene Names	GFAP
UniProt Entry Name	GFAP_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.