

Rabbit CD59 Polyclonal Antibody | anti-CD59 antibody

CD59 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA168081	Rabbit	Human, Mouse, Rat	Immunohistochemistry, Western Blot, ELISA


PRODUCT SYNONYMS

CD59; Polyclonal Antibody; CD59 Polyclonal Antibody; 1F5; EJ16; EJ30; EL32; G344; MIN1; MIN2; MIN3; M1RL; HRF20; MACIF; MEM43; MIC11; MSK21; 16.3A5; HRF-20; MAC-IP; p18-20; anti-CD59 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen affinity purification
Concentration	2mg/mL (varies by lot)
Sequence Length	128
Applicable Applications for anti-CD59 antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Immunogen	Synthetic peptide of human CD59
Buffer	PBS with 0.05% sodium azide, 50% glycerol, pH7.3
Preparation and Storage	Store at -20 degree C (regular) and -80 degree C (long term). Avoid freeze / thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human cervical cancer using CD59 Polyclonal Antibody at dilution of 1:50



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human thyroid cancer using CD59 Polyclonal Antibody at dilution of 1:50



WB (Western Blot)
Western Blot analysis of Huvec, hela and SKOV3 cell using CD59 Polyclonal Antibody at dilution of 1:500

ADDITIONAL INFORMATION

Related Product Information for anti-CD59 antibody	This gene encodes a cell surface glycoprotein that regulates complement-mediated cell lysis, and it is involved in lymphocyte signal transduction. This protein is a potent inhibitor of the complement membrane attack complex, whereby it binds complement C8 and/or C9 during the assembly of this complex, thereby inhibiting the incorporation of multiple copies of C9 into the complex, which is necessary for osmolytic pore formation. This protein also plays a role in signal transduction pathways in the activation of T cells. Mutations in this gene cause CD59 deficiency, a disease resulting in hemolytic anemia and thrombosis, and which causes cerebral infarction.
Product Categories/Family for anti-CD59 antibody	Stem Cells

NCBI AND UNIPROT INFORMATION

NCBI GI #	42716299
NCBI GeneID	966
NCBI Accession #	NP_976076.1
NCBI GenBank Nucleotide #	NM_203331.2
Molecular Weight	14,177 Da
NCBI Official Full Name	CD59 glycoprotein preproprotein
NCBI Official Synonym Full Names	CD59 molecule, complement regulatory protein
NCBI Official Symbol	CD59
NCBI Official Synonym Symbols	1F5; EJ16; EJ30; EL32; G344; MIN1; MIN2; MIN3; M1RL; HRF20; MACIF; MEM43; MIC11; MSK21; 16.3A5; HRF-20; MAC-IP; p18-20
NCBI Protein Information	CD59 glycoprotein; 1F5 antigen; 20 kDa homologous restriction factor; CD59 antigen p18-20 (antigen identified by monoclonal antibodies 16.3A5, EJ16, EJ30, EL32 and G344); Ly-6-like protein; MEM43 antigen; T cell-activating protein; human leukocyte antigen MIC11; lymphocytic antigen CD59/MEM43; membrane attack complex (MAC) inhibition factor; membrane attack complex inhibition factor; membrane inhibitor of reactive lysis; protectin; surface anitgen recognized by monoclonal antibody 16.3A5
UniProt Protein Name	CD59 glycoprotein
UniProt Gene Name	CD59
UniProt Synonym Gene Names	MIC11; MIN1; MIN2; MIN3; MSK21; HRF-20; HRF20; MAC-IP; MACIF; M1RL
UniProt Entry Name	CD59_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

