

Rabbit anti-Human, Mouse FGF1 Polyclonal Antibody | anti-FGF1 antibody

FGF1 Antibody

CATALOG # AAA168456	HOST Rabbit	REACTIVITY Human, Mouse	APPLICATIONS Western Blot
-------------------------------	-----------------------	-----------------------------------	-------------------------------------


PRODUCT SYNONYMS

FGF1; Polyclonal Antibody; FGF1 Antibody; AFGF; ECGF; ECGF-beta; ECGFA; ECGFB; FGF-alpha; FGFA; GLIO703; HBGF1; anti-FGF1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen affinity purification
Concentration	1mg/mL (varies by lot)
Sequence Length	154
Applicable Applications for anti-FGF1 antibody	WB (Western Blot)
Immunogen	Recombinant protein of human FGF1
Buffer	PBS with 0.02% sodium azide, 50% glycerol, pH7.3
Preparation and Storage	Store at -20 degree C (regular) and -80 degree C (long term). Avoid freeze / thaw cycles.

IMAGES



Application Data



WB (Western Blot)

Western blot analysis of 293T cell lysate using FGF1 antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-FGF1 antibody	Fibroblast growth factors are a family of broad-spectrum growth factors influencing a plethora of cellular activities. The interaction of at least 23 ligands, 4 receptors and multiple coreceptors provides a dramatic complexity to a signaling system capable of effecting a multitude of responses (1, 2). Basic fibroblast growth factor (bFGF or FGF2), initially identified as a mitogen with prominent angiogenic properties, is now recognized as a multifunctional growth factor (3). It is clear that bFGF produces its biological effects in target cells by signaling through cell-surface FGF receptors. bFGF binds to all four FGF receptors. Ligand binding induces receptor dimerization and autophosphorylation, allowing binding and activation of cytoplasmic downstream target proteins, including FRS-2, PLC and Crk (4, 5). The FGF signaling pathway appears to play a significant role not only in normal cell growth regulation but also in tumor development and progression (6). Acidic FGF (aFGF or FGF1) is another extensively investigated protein of the FGF family. aFGF shares 55% DNA sequence homology with bFGF. These two growth factors are ubiquitously expressed and exhibit a wide spectrum of similar biological activities with quantitative differences likely due to variation in receptor affinity or binding (7).
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	380748953
NCBI GeneID	2246
NCBI Accession #	NP_001244141.1
NCBI GenBank Nucleotide #	NM_001257212.1
Molecular Weight	6,698 Da
NCBI Official Full Name	fibroblast growth factor 1 isoform 4
NCBI Official Synonym Full Names	fibroblast growth factor 1 (acidic)
NCBI Official Symbol	FGF1
NCBI Official Synonym Symbols	AFGF; ECGF; FGFA; ECGFA; ECGFB; FGF-1; HBGF1; HBGF-1; GLIO703; ECGF-beta; FGF-alpha
NCBI Protein Information	fibroblast growth factor 1; beta-endothelial cell growth factor; endothelial cell growth factor, alpha; endothelial cell growth factor, beta; heparin-binding growth factor 1
UniProt Protein Name	Fibroblast growth factor 1
UniProt Gene Name	FGF1
UniProt Synonym Gene Names	FGFA; FGF-1; aFGF; ECGF; HBGF-1
UniProt Entry Name	FGF1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.