

Rabbit anti-Human CD200 Polyclonal Antibody | anti-CD200 antibody

CD200 Polyclonal Antibody

CATALOG # AAA171738	HOST Rabbit	REACTIVITY Human	APPLICATIONS ELISA, Immunohistochemistry, Western Blot
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

CD200; Polyclonal Antibody; CD200 Polyclonal Antibody; MOX1; MOX2; My033; OX-2 membrane glycoprotein; anti-CD200 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Applicable Applications for anti-CD200 antibody	ELISA, IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Synthesized peptide derived from the Internal region of human CD200.
Buffer	PBS with 0.02% sodium azide, 0.5% BSA and 50% glycerol, pH 7.4
Calculated MW	31 kDa
Observed MW	31kDa
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-14381 / sc-14384
Preparation and Storage	Store at -20°C. Avoid freeze / thaw cycles.


IMAGES


IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human brain tissue using CD200 Polyclonal Antibody at dilution of 1:100.


IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human liver tissue using CD200 Polyclonal Antibody at dilution of 1:100.



WB (Western Blot)
Western Blot analysis of PC-12 cells with CD200 Polyclonal Antibody.

NCBI AND UNIPROT INFORMATION

NCBI GI #	119600082
NCBI GeneID	4345
NCBI Official Full Name	CD200 antigen, isoform CRA_a
NCBI Official Synonym Full Names	CD200 molecule
NCBI Official Symbol	CD200
NCBI Official Synonym Symbols	MRC; MOX1; MOX2; OX-2
NCBI Protein Information	OX-2 membrane glycoprotein
UniProt Protein Name	OX-2 membrane glycoprotein
UniProt Gene Name	CD200
UniProt Synonym Gene Names	MOX1; MOX2
UniProt Entry Name	OX2G_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.