

Rabbit anti-Human CD19 Polyclonal Antibody | anti-CD19 antibody

CD19 Polyclonal Antibody

CATALOG # AAA171809	HOST Rabbit	REACTIVITY Human	APPLICATIONS ELISA, Western Blot
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

CD19; Polyclonal Antibody; CD19 Polyclonal Antibody; B-lymphocyte antigen CD19; B-lymphocyte surface antigen B4; Differentiation antigen CD19; T-cell surface antigen Leu-12; anti-CD19 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purified
Concentration	1 mg/ml (varies by lot)
Sequence Length	92
Applicable Applications for anti-CD19 antibody	ELISA, WB (Western Blot)
Immunogen	Synthesized peptide derived from the Internal region of human CD19.
Buffer	PBS, pH 7.4, containing 0.02% sodium azide as Preservative and 50% Glycerol.
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-373897 / sc-18894 / sc-18896 / sc-19650 / sc-18884 / sc-51529 / sc-69735 / sc-69736 / sc-53191
Preparation and Storage	Store at -20 degree C. Avoid freeze / thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human liver tissue using CD19 Polyclonal Antibody at dilution of 1:100.



WB (Western Blot)

Western Blot analysis of Mouse kidney, Mouse spleen using CD19 Polyclonal Antibody at dilution of 1:1500.



WB (Western Blot)
Western Blot analysis of Mouse brain using CD19 Polyclonal Antibody at dilution of 1:2000.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4105281
NCBI GeneID	930
Molecular Weight	Calculated MW: 61 Observed MW: 61
NCBI Official Full Name	CD19, partial
NCBI Official Synonym Full Names	CD19 molecule
NCBI Official Symbol	CD19
NCBI Official Synonym Symbols	B4; CVID3
NCBI Protein Information	B-lymphocyte antigen CD19
UniProt Protein Name	B-lymphocyte antigen CD19
UniProt Gene Name	CD19
UniProt Entry Name	CD19_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.