

Rabbit anti-Human TPSB2 Polyclonal Antibody | anti-TPSB2 antibody

TPSB2 Polyclonal Antibody

CATALOG # AAA173088	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

TPSB2; Polyclonal Antibody; TPSB2 Polyclonal Antibody; TPS2; tryptaseB; tryptaseC; anti-TPSB2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purification
Concentration	0.8mg/ml (varies by lot)
Sequence Length	275
Applicable Applications for anti-TPSB2 antibody	IHC (Immunohistochemistry), ELISA
Immunogen	Full length fusion protein
Buffer	PBS with 0.05% sodium azide, 50% glycerol, pH7.3
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-32473 / sc-32474
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using TPSB2 Polyclonal Antibody at dilution 1:20



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TPSB2 Polyclonal Antibody at dilution 1:20

ADDITIONAL INFORMATION

Related Product Information for anti-TPSB2 antibody	Tryptases comprise a family of trypsin-like serine proteases, the peptidase family S1. Tryptases are enzymatically active only as heparin-stabilized tetramers, and they are resistant to all known endogenous proteinase inhibitors. Several tryptase genes are clustered on chromosome 16p13.3. These genes are characterized by several distinct features. They have a highly conserved 3' UTR and contain tandem repeat sequences at the 5' flank and 3' UTR which are thought to play a role in regulation of the mRNA stability. These genes have an intron immediately upstream of the initiator Met codon, which separates the site of transcription initiation from protein coding sequence. This feature is characteristic of tryptases but is unusual in other genes. The alleles of this gene exhibit an unusual amount of sequence variation, such that the alleles were once thought to represent two separate genes, beta II and beta III. Beta tryptases appear to be the main isoenzymes expressed in mast cells, whereas in basophils, alpha-tryptases predominate. Tryptases have been implicated as mediators in the pathogenesis of asthma and other allergic and inflammatory disorders.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	49456629
NCBI GeneID	7177
UniProt Accession #	Q6FHB8; Q15661
Molecular Weight	30,517 Da
NCBI Official Full Name	TPSB2, partial
NCBI Official Synonym Full Names	tryptase alpha/beta 1
NCBI Official Symbol	TPSAB1
NCBI Official Synonym Symbols	TPS1; TPS2; TPSB1
NCBI Protein Information	tryptase alpha/beta-1
UniProt Protein Name	TPSB2 protein
UniProt Gene Name	TPSB2
UniProt Entry Name	Q6FHB8_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.