

Rabbit CD3E Polyclonal Antibody | anti-CD3E antibody

CD3E Polyclonal Antibody

CATALOG # AAA174159	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

CD3E; Polyclonal Antibody; CD3E Polyclonal Antibody; CD3 epsilon; CD3e; CD3e antigen epsilon polypeptide (TiT3 complex); CD3E antigen epsilon polypeptide; CD3E antigen; epsilon subunit; CD3e molecule epsilon; CD3e molecule; epsilon (CD3 TCR complex); epsilon (CD3-TCR complex); IMD18; T cell antigen receptor complex epsilon subunit of T3; T cell surface antigen T3/Leu 4 epsilon chain; T cell surface glycoprotein CD3 epsilon chain; T-cell surface antigen T3/Leu-4 epsilon chain; T-cell surface glycoprotein CD3 epsilon chain; T3E; TCRE; anti-CD3E antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Concentration	1 mg/mL (varies by lot)
Sequence Length	207
Applicable Applications for anti-CD3E antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthetic peptide of human CD3E
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.


IMAGES



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded mouse thymus using CD3E antibody.



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded mouse spleen using CD3E antibody.



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using CD3E Antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-CD3E antibody

The protein encoded by this gene is the CD3-epsilon polypeptide, which together with CD3-gamma, -delta and -zeta, and the T-cell receptor alpha/beta and gamma/delta heterodimers, forms the T-cell receptor-CD3 complex. This complex plays an important role in coupling antigen recognition to several intracellular signal-transduction pathways. The genes encoding the epsilon, gamma and delta polypeptides are located in the same cluster on chromosome 11. The epsilon polypeptide plays an essential role in T-cell development. Defects in this gene cause immunodeficiency. This gene has also been linked to a susceptibility to type I diabetes in women.

Product Categories/Family for anti-CD3E antibody

[Immunology](#); [Stem cells](#)

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502671
NCBI GeneID	916
NCBI Accession #	NP_000724.1
NCBI GenBank Nucleotide #	NM_000733.3
UniProt Accession #	P07766 ; A8K997
Molecular Weight	Calculated: 23kDa Observed: 23kDa; 25kDa
NCBI Official Full Name	T-cell surface glycoprotein CD3 epsilon chain
NCBI Official Synonym Full Names	CD3e molecule
NCBI Official Symbol	CD3E
NCBI Official Synonym Symbols	T3E; TCRE; IMD18
NCBI Protein Information	T-cell surface glycoprotein CD3 epsilon chain
UniProt Protein Name	T-cell surface glycoprotein CD3 epsilon chain
UniProt Gene Name	CD3E
UniProt Synonym Gene Names	T3E

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/cd3e-antibody-immunohistochemistry-western-blot-elisa/174159>