

Rabbit PSMA5 Polyclonal Antibody | anti-PSMA5 antibody

PSMA5 Polyclonal Antibody

CATALOG # AAA174306	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

PSMA5; Polyclonal Antibody; PSMA5 Polyclonal Antibody; Macropain zeta chain; Multicatalytic endopeptidase complex zeta chain; Proteasome (prosome macropain) subunit alpha type 5; Proteasome alpha5 subunit; Proteasome component 5; Proteasome subunit alpha type 5; Proteasome subunit alpha type-5; Proteasome subunit zeta; Proteasome zeta chain; PSA5; PSC5; ZETA; anti-PSMA5 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Concentration	1 mg/mL (varies by lot)
Sequence Length	183
Applicable Applications for anti-PSMA5 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant protein of human PSMA5
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.


IMAGES



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded mouse lung using PSMA5 Antibody.



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded rat lung using PSMA5 Antibody.



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using PSMA5 antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-PSMA5 antibody	The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the peptidase T1A family, that is a 20S core alpha subunit. Multiple alternatively spliced transcript variants encoding two distinct isoforms have been found for this gene.
Product Categories/Family for anti-PSMA5 antibody	Cancer; Cell biology

NCBI AND UNIPROT INFORMATION

NCBI GI #	315138981
NCBI GeneID	5686
NCBI Accession #	NP_001186701.1
NCBI GenBank Nucleotide #	NM_001199772.1
UniProt Accession #	P28066; Q3T1C1; Q6IBF7; B2R8F6; B4E2V4
Molecular Weight	Calculated: 20kDa; 26kDa Observed: 28kDa
NCBI Official Full Name	proteasome subunit alpha type-5 isoform 2
NCBI Official Synonym Full Names	proteasome subunit alpha 5
NCBI Official Symbol	PSMA5
NCBI Official Synonym Symbols	PSC5; ZETA
NCBI Protein Information	proteasome subunit alpha type-5
UniProt Protein Name	Proteasome subunit alpha type-5
UniProt Gene Name	PSMA5

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/psma5-antibody-immunohistochemistry-western-blot-elisa/174306>