

Rabbit SMC1A Polyclonal Antibody | anti-SMC1A antibody

SMC1A Polyclonal Antibody

CATALOG # AAA175086	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS ELISA, Immunohistochemistry
-------------------------------	-----------------------	--	--


PRODUCT SYNONYMS

SMC1A; Polyclonal Antibody; SMC1A Polyclonal Antibody; Chromosome segregation protein SmcB; DXS423E; KIAA0178; MGC138332; Sb1.8; Segregation of mitotic chromosomes 1; SMC protein 1A; SMC-1-alpha; SMC-1A; SMC1 (structural maintenance of chromosomes 1 yeast) like 1; SMC1; SMC1 structural maintenance of chromosomes 1 like 1; SMC1alpha; SMC1L1; SMCB; Structural maintenance of chromosomes 1A; Structural maintenance of chromosomes protein 1A; anti-SMC1A antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purification
Form/Format	PBS with 0.05% NaN ₃ and 40% Glycerol, pH7.4
Concentration	0.7mg/mL (varies by lot)
Sequence Length	1233
Applicable Applications for anti-SMC1A antibody	ELISA, IHC (Immunohistochemistry)
Immunogen	Fusion protein of human SMC1A
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using SMC1A Polyclonal Antibody at dilution of 1:45(×200)



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using SMC1A Polyclonal Antibody at dilution of 1:45(×200)

ADDITIONAL INFORMATION

Related Product Information for anti-SMC1A antibody	Proper cohesion of sister chromatids is a prerequisite for the correct segregation of chromosomes during cell division. The cohesin multiprotein complex is required for sister chromatid cohesion. This complex is composed partly of two structural maintenance of chromosomes (SMC) proteins, SMC3 and either SMC1B or the protein encoded by this gene. Most of the cohesin complexes dissociate from the chromosomes before mitosis, although those complexes at the kinetochore remain. Therefore, the encoded protein is thought to be an important part of functional kinetochores. In addition, this protein interacts with BRCA1 and is phosphorylated by ATM, indicating a potential role for this protein in DNA repair. This gene, which belongs to the SMC gene family, is located in an area of the X-chromosome that escapes X inactivation. Mutations in this gene result in Cornelia de Lange syndrome. Alternative splicing results in multiple transcript variants encoding different isoforms.
Product Categories/Family for anti-SMC1A antibody	Cancer; Cell biology

NCBI AND UNIPROT INFORMATION

NCBI GI #	30581135
NCBI GeneID	8243
NCBI Accession #	NP_006297.2; BC112127
NCBI GenBank Nucleotide #	NP_006297.2
UniProt Accession #	Q14683
NCBI Official Full Name	structural maintenance of chromosomes protein 1A isoform 1
NCBI Official Synonym Full Names	structural maintenance of chromosomes 1A
NCBI Official Symbol	SMC1A
NCBI Official Synonym Symbols	SMC1; SMCB; CDLS2; SB1.8; SMC1L1; DXS423E; SMC1alpha
NCBI Protein Information	structural maintenance of chromosomes protein 1A
UniProt Protein Name	Structural maintenance of chromosomes protein 1A
UniProt Gene Name	SMC1A
UniProt Synonym Gene Names	DXS423E; KIAA0178; SB1.8; SMC1; SMC1L1; SMC protein 1A; SMC-1-alpha; SMC-1A
UniProt Entry Name	SMC1A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/smc1a-antibody-immunohistochemistry-elisa/175086>