

Rabbit CAND2 Polyclonal Antibody | anti-CAND2 antibody

CAND2 Polyclonal Antibody

CATALOG # AAA179050	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

CAND2; Polyclonal Antibody; CAND2 Polyclonal Antibody; TIP120B; Tp120b; anti-CAND2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.01% thiomersal, 50% glycerol, pH 7.3.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-CAND2 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant fusion protein of human CAND2
Preparation and Storage	Storage: -20 degree C/One year. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human colon carcinoma using CAND2 Polyclonal Antibody at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Rat testis using CAND2 Polyclonal Antibody at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Mouse spleen using CAND2 Polyclonal Antibody at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



WB (Western Blot)

Western blot analysis of extracts of various cell lines using CAND2 Polyclonal Antibody at 1:1000 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-CAND2 antibody	Probable assembly factor of SCF (SKP1-CUL1-F-box protein E3 ubiquitin ligase complexes that promotes the exchange of the substrate-recognition F-box subunit in SCF complexes, thereby playing a key role in the cellular repertoire of SCF complexes.
Product Categories/Family for anti-CAND2 antibody	Antibodies ; Primary Antibodies ; Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	112420977
NCBI GeneID	23066
NCBI Accession #	NP_036430.1
NCBI GenBank Nucleotide #	NM_012298.2
UniProt Accession #	O75155; B9EGM9; E9KL24
Molecular Weight	122,664 Da
NCBI Official Full Name	cullin-associated NEDD8-dissociated protein 2 isoform 2
NCBI Official Synonym Full Names	cullin-associated and neddylation-dissociated 2 (putative)
NCBI Official Symbol	CAND2
NCBI Official Synonym Symbols	Tp120b; TIP120B
NCBI Protein Information	cullin-associated NEDD8-dissociated protein 2; p120 CAND2; TBP interacting protein; TBP-interacting protein 120B; epididymis tissue protein Li 169; TBP-interacting protein of 120 kDa B; cullin-associated and neddylation-dissociated protein 2
UniProt Protein Name	Cullin-associated NEDD8-dissociated protein 2
UniProt Gene Name	CAND2
UniProt Synonym Gene Names	KIAA0667; TIP120B; TBP-interacting protein 120B
UniProt Entry Name	CAND2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

