

Rabbit DYNC1LI2 Polyclonal Antibody | anti-DYNC1LI2 antibody

DYNC1LI2 Polyclonal Antibody

CATALOG # AAA179302	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

DYNC1LI2; Polyclonal Antibody; DYNC1LI2 Polyclonal Antibody; LIC2; DNCL12; anti-DYNC1LI2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.05% proclin300,50% glycerol,pH7.3.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-DYNC1LI2 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant fusion protein of human DYNC1LI2
Preparation and Storage	Storage: -20 degree C/One year. Avoid freeze/thaw cycles.

IMAGES





IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat kidney using DYNC1LI2 Polyclonal Antibody at dilution of 1:20 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse spinal cord using DYNC1LI2 Polyclonal Antibody at dilution of 1:20 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



IHC (Immunohistochemistry)
 Immunohistochemistry of paraffin-embedded human esophageal cancer using DYNC1LI2 Polyclonal Antibody at dilution of 1:20 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.

IHC (Immunohistochemistry)
 Immunohistochemistry of paraffin-embedded human colon carcinoma using DYNC1LI2 Polyclonal Antibody at dilution of 1:20 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



WB (Western Blot)
 Western blot analysis of extracts of various cell lines using DYNC1LI2 Polyclonal Antibody at 1:1000 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-DYNC1LI2 antibody	Cytoplasmic dynein is microtubule-associated motor protein (Hughes et al., 1995 [PubMed 7738094]). See DYNC1H1 (MIM 600112) for general information about dyneins.
Product Categories/Family for anti-DYNC1LI2 antibody	Antibodies ; Primary Antibodies ; Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	555290083
NCBI GeneID	1783
NCBI Accession #	NP_001273086.1
NCBI GenBank Nucleotide #	NM_001286157.1
UniProt Accession #	O43237 ; Q8TAT3 ; A8K6V1 ; B4DZP4
Molecular Weight	54,099 Da
NCBI Official Full Name	cytoplasmic dynein 1 light intermediate chain 2 isoform 2
NCBI Official Synonym Full Names	dynein, cytoplasmic 1, light intermediate chain 2
NCBI Official Symbol	DYNC1LI2

NCBI Official Synonym Symbols	LIC2; DNCLI2
NCBI Protein Information	cytoplasmic dynein 1 light intermediate chain 2; LIC-2; LIC53/55; dynein light intermediate chain 2, cytosolic; dynein, cytoplasmic, light intermediate polypeptide 2
UniProt Protein Name	Cytoplasmic dynein 1 light intermediate chain 2
UniProt Gene Name	DYNC1LI2
UniProt Synonym Gene Names	DNCLI2; LIC2; LIC-2
UniProt Entry Name	DC1L2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/dync1li2-antibody-immunohistochemistry-western-blot-elisa/179302>