

Rabbit NELFCD Polyclonal Antibody | anti-NELFCD antibody

NELFCD Polyclonal Antibody

CATALOG # AAA179405	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

NELFCD; Polyclonal Antibody; NELFCD Polyclonal Antibody; HSPC130; NELF-C; NELF-D; TH1; TH1L; anti-NELFCD antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.05% proclin300,50% glycerol,pH7.3.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-NELFCD antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant fusion protein of human NELFCD
Preparation and Storage	Storage: -20 degree C/One year. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat testis using NELFCD Polyclonal Antibody at dilution of 1:50 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




IHC (Immunohistochemisry)

Immunohistochemistry of paraffin-embedded mouse spleen using NELFCD Polyclonal Antibody at dilution of 1:50 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human colon using NELFCD Polyclonal Antibody at dilution of 1:50 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



WB (Western Blot)

Western blot analysis of extracts of various cell lines using NELFCD Polyclonal Antibody at 1:1000 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-NELFCD antibody	The NELF complex of proteins interacts with the DSIF protein complex to repress transcriptional elongation by RNA polymerase II. The protein encoded by this gene is an essential part of the NELF complex. Alternative translation initiation site usage results in the formation of two isoforms with different N-termini.
Product Categories/Family for anti-NELFCD antibody	Antibodies ; Primary Antibodies ; Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	38372376
NCBI GeneID	51497
UniProt Accession #	Q8IXH7; Q9BYL2; Q9H405; Q9H888; Q9H8T3; Q9NVX5; Q9P029; Q9UGN1; Q9UGN2; Q9UGN3; B4DE06
Molecular Weight	590
NCBI Official Full Name	Negative elongation factor C/D
NCBI Official Synonym Full Names	negative elongation factor complex member C/D
NCBI Official Symbol	NELFCD
NCBI Official Synonym Symbols	TH1; TH1L; NELF-C; NELF-D; HSPC130
NCBI Protein Information	negative elongation factor C/D; NELF-C/D; TH1-like protein; trihydrophobin 1; TH1 drosophila homolog; negative elongation factor proteins C and D
UniProt Protein Name	Negative elongation factor C/D
UniProt Gene Name	NELFCD
UniProt Synonym Gene Names	NELFD; TH1; TH1L; NELF-C/D
UniProt Entry Name	NELFD_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/nelfcd-antibody-immunohistochemistry-western-blot-elisa/179405>