

Rabbit STAT2 Polyclonal Antibody | anti-STAT2 antibody

STAT2 Polyclonal Antibody

CATALOG # AAA179496	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

STAT2; Polyclonal Antibody; STAT2 Polyclonal Antibody; IMD44; ISGF-3; P113; STAT113; anti-STAT2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.05% proclin300,50% glycerol,pH7.3.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-STAT2 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant fusion protein of human STAT2
Research Area	Cancer, Epigenetics and Nuclear Signaling, Signal Transduction
Preparation and Storage	Storage: -20 degree C/One year. Avoid freeze/thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse heart using STAT2 Polyclonal Antibody at dilution of 1:50 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



WB (Western Blot)

Western blot analysis of extracts of various cell lines using STAT2 Polyclonal Antibody at 1:500 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-STAT2 antibody	The protein encoded by this gene is member of the STAT protein family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. In response to interferon (IFN), this protein forms a complex with STAT1 and IFN regulatory factor family protein p48 (ISGF3G), in which this protein acts as a transactivator, but lacks the ability to bind DNA directly. Transcription adaptor P300/CBP (EP300/CREBBP) has been shown to interact specifically with this protein, which is thought to be involved in the process of blocking IFN-alpha response by adenovirus. Multiple transcript variants encoding different isoforms have been found for this gene.
Product Categories/Family for anti-STAT2 antibody	Antibodies ; Primary Antibodies ; Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	4885615
NCBI GeneID	6773
NCBI Accession #	NP_005410.1
NCBI GenBank Nucleotide #	NM_005419.3
UniProt Accession #	P52630; Q16430; Q16431; Q9UDL4
Molecular Weight	97,916 Da
NCBI Official Full Name	signal transducer and activator of transcription 2 isoform 1
NCBI Official Synonym Full Names	signal transducer and activator of transcription 2, 113kDa
NCBI Official Symbol	STAT2
NCBI Official Synonym Symbols	P113; ISGF-3; STAT113
NCBI Protein Information	signal transducer and activator of transcription 2; interferon alpha induced transcriptional activator
UniProt Protein Name	Signal transducer and activator of transcription 2
UniProt Gene Name	STAT2
UniProt Entry Name	STAT2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/stat2-antibody-immunohistochemistry-western-blot-elisa/179496>