

## Mouse Catenin Beta 1 (CTNNb1) ELISA Kit | CTNNb1 elisa kit

Mouse Catenin Beta 1 (CTNNb1) ELISA Kit

CATALOG #  
AAA184276

REACTIVITY  
Mouse


### PRODUCT SYNONYMS

Catenin Beta 1 (CTNNb1); Mouse Catenin Beta 1 (CTNNb1) ELISA Kit; bCat; b-Cat; CTNN-B1; Cadherin-Associated Protein; CTNNb1 elisa kit

### PRODUCT SPECIFICATIONS

|                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                                        | Mouse                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Specificity                                       | This assay has high sensitivity and excellent specificity for detection of Catenin Beta 1 (CTNNb1). No significant cross-reactivity or interference between Catenin Beta 1 (CTNNb1) and analogues was observed.                                                                                                                                                                                                                                                                            |
| Sequence Length                                   | 781                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Assay Type                                        | Double-antibody Sandwich                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Samples                                           | Tissue Homogenates, Cell Lysates, Cell Culture Supernates and Other Biological Fluids                                                                                                                                                                                                                                                                                                                                                                                                      |
| Detection Range                                   | 0.156-10ng/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Sensitivity                                       | < 0.058ng/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Application                                       | Enzyme-linked immunosorbent assay for Antigen Detection.                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Intra-assay Precision (Precision within an assay) | 3 samples with low, middle and high level Catenin Beta 1 (CTNNb1) were tested 20 times on one plate, respectively.                                                                                                                                                                                                                                                                                                                                                                         |
| Inter-assay Precision (Precision between assays)  | 3 samples with low, middle and high level Catenin Beta 1 (CTNNb1) were tested on 3 different plates, 8 replicates in each plate.                                                                                                                                                                                                                                                                                                                                                           |
| CV(%) =                                           | SD/meanX100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Intra-Assay                                       | CV<10%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Inter-Assay                                       | CV<12%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Preparation and Storage                           | The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition.<br>To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end. |

### IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

|                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Related Product Information for CTNNb1 elisa kit | The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Catenin Beta 1 (CTNNb1). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Catenin Beta 1 (CTNNb1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Catenin Beta 1 (CTNNb1), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Catenin Beta 1 (CTNNb1) in the samples is then determined by comparing the O.D. of the samples to the standard curve. |
|--------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

NCBI AND UNIPROT INFORMATION

|                                  |                                        |
|----------------------------------|----------------------------------------|
| NCBI GI #                        | 4503131                                |
| NCBI GeneID                      | 1499                                   |
| NCBI Accession #                 | NP_001895.1                            |
| NCBI GenBank Nucleotide #        | NM_001904.3                            |
| UniProt Accession #              | P35222; Q8NEW9; Q8NI94; Q9H391; A8K1L7 |
| Molecular Weight                 | 85,497 Da                              |
| NCBI Official Full Name          | catenin beta-1 isoform 1               |
| NCBI Official Synonym Full Names | catenin beta 1                         |
| NCBI Official Symbol             | CTNNB1                                 |
| NCBI Official Synonym Symbols    | EVR7; CTNNB; MRD19; armadillo          |
| NCBI Protein Information         | catenin beta-1                         |
| UniProt Protein Name             | Catenin beta-1                         |
| UniProt Gene Name                | CTNNB1                                 |
| UniProt Synonym Gene Names       | CTNNB                                  |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.