

Human Adenosine Deaminase (ADA) ELISA Kit | ADA elisa kit

Human Adenosine Deaminase (ADA) ELISA Kit

CATALOG #
AAA184665

REACTIVITY
Human


PRODUCT SYNONYMS

Adenosine Deaminase (ADA); Human Adenosine Deaminase (ADA) ELISA Kit; Adenosine Aminohydrolase; ADA elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of ADA. No significant cross-reactivity or interference between ADA and analogues was observed.
Sequence Length	363
Samples	Human serum, plasma, tissue homogenates and other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	< 0.061ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level ADA were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level ADA were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for ADA elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to ADA. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to ADA. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain ADA, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of ADA in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	47078295
NCBI GeneID	100
NCBI Accession #	NP_000013.2
NCBI GenBank Nucleotide #	NM_000022.3
UniProt Accession #	P00813; Q53F92; Q6LA59
Molecular Weight	40,764 Da
NCBI Official Full Name	adenosine deaminase isoform 1
NCBI Official Synonym Full Names	adenosine deaminase
NCBI Official Symbol	ADA
NCBI Protein Information	adenosine deaminase
UniProt Protein Name	Adenosine deaminase
UniProt Gene Name	ADA
UniProt Synonym Gene Names	ADA1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/human-elisa-kits/adenosine-deaminase-ada/184665>