

Polyadenylate-binding protein 1 Recombinant Protein | PABPC1 recombinant protein

Recombinant Human Polyadenylate-binding protein 1

CATALOG #
AAA18481

HOST
E Coli or Yeast or Baculovirus or Mammalian Cell


PRODUCT SYNONYMS

Polyadenylate-binding protein 1; Recombinant Human Polyadenylate-binding protein 1; PABPC1 recombinant protein

PRODUCT SPECIFICATIONS

Host	E Coli or Yeast or Baculovirus or Mammalian Cell
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Lyophilized or liquid (Format to be determined during the manufacturing process)
Sequence Positions	1-370aa; Partial
Sequence	MNPSAPSYPM ASLYVGD LHP DVTEAMLYEK FSPAGPILSI RVC RDMITRR SLGYAYVNFQ QPADAERALD TMNFDVIK GK PVRIMWSQRD PSLR KSGVGN IFIKNL D KSI DNKALYDTFS AFGNLSCKV VCDENGSKGY GFVHFETQEA AERAIEKMNG MLLNDRKVFV GRFKSRKERE AELGARAKEF TNVYIKNFGE DMDDERL KDL FGKFGPALSV KVM TDESGKS KGFGFVSFER HEDAQKAVDE MNGKELNGKQ IYVGRAQKKV ERQTELKRKF EQMKQDRITR YQGVNLYVKN LDDGIDDERL RKEFSPFGTI TSAKVMMEGG RSKGFGFVCF SSPEEATKAV TEMNGRIVAT KPLYVALAQR
Preparation and Storage	Store at -20 degree C, for extended storage, conserve at -20 degree C or -80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for PABPC1 recombinant protein

Binds the poly(A) tail of mRNA, including that of its own transcript. May be involved in cytoplasmic regulatory processes of mRNA metabolism such as pre-mRNA splicing. Its function in translational initiation regulation can either be enhanced by PAIP1 or repressed by PAIP2. Can probably bind to cytoplasmic RNA sequences other than poly(A) in vivo. Involved in translationally coupled mRNA turnover. Implicated with other RNA-binding proteins in the cytoplasmic deadenylation/translational and decay interplay of the FOS mRNA mediated by the major coding-region determinant of instability (mCRD) domain. Involved in regulation of nonsense-mediated decay (NMD) of mRNAs containing premature stop codons; for the recognition of premature termination codons (PTC) and initiation of NMD a competitive interaction between UPF1 and PABPC1 with the ribosome-bound release factors is proposed.

References

Human mRNA polyadenylate binding protein evolutionary conservation of a nucleic acid binding motif. Grange T., de Sa C.M., Oddos J., Pictet R. *Nucleic Acids Res.* 15:4771-4787(1987) The human poly(A) -binding protein (PABP) gene structural and functional analysis. Hornstein E., Abramzon-Talianker A., Wiesel I., Meyuhas O. DNA sequence and analysis of human chromosome 8. Nusbaum C., Mikkelsen T.S., Zody M.C., Asakawa S., Taudien S., Garber M., Kodira C.D., Schueler M.G., Shimizu A., Whittaker C.A., Chang J.L., Cuomo C.A., Dewar K., FitzGerald M.G., Yang X., Allen N.R., Anderson S., Asakawa T., Blechschmidt K., Bloom T., Borowsky M.L., Butler J., Cook A., Corum B., DeArellano K., DeCaprio D., Dooley K.T., Dorris L. III, Engels R., Gloeckner G., Hafez N., Hagopian D.S., Hall J.L., Ishikawa S.K., Jaffe D.B., Kamat A., Kudoh J., Lehmann R., Lokitsang T., Macdonald P., Major J.E., Matthews C.D., Mauceli E., Menzel U., Mihalev A.H., Minoshima S., Murayama Y., Naylor J.W., Nicol R., Nguyen C., O'Leary S.B., O'Neill K., Parker S.C.J., Polley A., Raymond C.K., Reichwald K., Rodriguez J., Sasaki T., Schilhabel M., Siddiqui R., Smith C.L., Sneddon T.P., Talamas J.A., Tenzin P., Topham K., Venkataraman V., Wen G., Yamazaki S., Young S.K., Zeng Q., Zimmer A.R., Rosenthal A., Birren B.W., Platzer M., Shimizu N., Lander E.S. *Nature* 439:331-335(2006) Nucleotide sequence of a partial cDNA encoding a novel human polyadenylate-binding protein. Murphy E.P., McKenna N.J., Headon D.R. *Bienvenut W.V.*, Zebisch A., Lilla S., von Kriegsheim A., Lempens A., Kolch W. Submitted (DEC-2008) to UniProtKB *Bienvenut W.V.*, Waridel P., Quadroni M. Submitted (MAR-2009) to UniProtKB The mRNA poly(A) -binding protein localization, abundance, and RNA-binding specificity. Goerlach M., Burd C.G., Dreyfuss G. *Exp. Cell Res.* 211:400-407(1994) The human poly(A) -binding protein 1 shuttles between the nucleus and the cytoplasm. Afonina E., Stauber R., Pavlakis G.N. *J. Biol. Chem.* 273:13015-13021(1998) Interaction of polyadenylate-binding protein with the eIF4G homologue PAIP enhances translation. Craig A.W.B., Haghighat A., Yu A.T.K., Sonenberg N. *Nature* 392:520-523(1998) A mechanism for translationally coupled mRNA turnover interaction between the poly(A) tail and a c-fos RNA coding determinant via a protein complex. Grosset C., Chen C.-Y.A., Xu N., Sonenberg N., Jacquemin-Sablon H., Shyu A.-B. *Cell* 103:29-40(2000) Translational repression by a novel partner of human poly(A) binding protein, Paip2. Khaleghpour K., Svitkin Y.V., Craig A.W.B., DeMaria C.T., Deo R.C., Burley S.K., Sonenberg N. *Mol. Cell* 7:205-216(2001) Dual interactions of the translational repressor Paip2 with poly(A) binding protein. Khaleghpour K., Kahvejian A., De Crescenzo G., Roy G., Svitkin Y.V., Imataka H., O'Connor-McCourt M., Sonenberg N. *Mol. Cell. Biol.* 21:5200-5213(2001) PABP1 identified as an arginine methyltransferase substrate using high-density protein arrays. Lee J., Bedford M.T. *EMBO Rep.* 3:268-273(2002) Paip1 interacts with poly(A) binding protein through two independent binding motifs. Roy G., De Crescenzo G., Khaleghpour K., Kahvejian A., O'Connor-McCourt M., Sonenberg N. *Mol. Cell. Biol.* 22:3769-3782(2002) Purification and characterization of native spliceosomes suitable for three-dimensional structural analysis. Jurica M.S., Licklider L.J., Gygi S.P., Grigorieff N., Moore M.J. *RNA* 8:426-439(2002) Affinity purification of ARE-binding proteins identifies polyA-binding protein 1 as a potential substrate in MK2-induced mRNA stabilization. Bollig F., Winzen R., Gaestel M., Kostka S., Resch K., Holtmann H. *Biochem. Biophys. Res. Commun.* 301:665-670(2003) UNR, a new partner of poly(A) -binding protein, plays a key role in translationally coupled mRNA turnover mediated by the c-fos major coding-region determinant. Chang T.-C., Yamashita A., Chen C.-Y.A., Yamashita Y., Zhu W., Durdan S., Kahvejian A., Sonenberg N., Shyu A.-B. *Genes Dev.* 18:2010-2023(2004) The autoregulatory translational control element of poly(A) -binding protein mRNA forms a heteromeric ribonucleoprotein complex. Patel G.P., Ma S., Bag J. *Nucleic Acids Res.* 33:7074-7089(2005) IMP1 interacts with poly(A) -binding protein (PABP) and the autoregulatory translational control element of PABP-mRNA through the KH III-IV domain. Patel G.P., Bag J. *FEBS J.* 273:5678-5690(2006) Regulation of poly(A) binding protein function in translation. Characterization of the Paip2 homolog, Paip2B. Berlanga J.J., Baass A., Sonenberg N. *RNA* 12:1556-1568(2006) Proteomic and functional analysis of Argonaute-containing mRNA-protein complexes in human cells. Hoeck J., Weinmann L., Ender C., Ruedel S., Kremmer E., Raabe M., Urlaub H., Meister G. *EMBO Rep.* 8:1052-1060(2007) NFX1-123 and poly(A) binding proteins synergistically augment activation of telomerase in human papillomavirus type 16 E6-expressing cells. Katzenellenbogen R.A., Egelkrout E.M., Vliet-Gregg P., Gewin L.C., Gafken P.R., Galloway D.A.J. *J. Virol.* 81:3786-3796(2007) Molecular composition of IMP1 ribonucleoprotein granules. Joelson L., Vikesaa J., Krogh A., Nielsen L.K., Hansen T., Borup R., Johnsen A.H., Christiansen J., Nielsen F.C. *Mol. Cell. Proteomics* 6:798-811(2007) Nuclear localization of cytoplasmic poly(A) -binding protein upon rotavirus infection involves the interaction of NSP3 with eIF4G and RoXaN. Harb M., Becker M.M., Vitour D., Baron C.H., Vende P., Brown S.C., Bolte S., Arold S.T., Poncet D.J. *J. Virol.* 82:11283-11293(2008) A competition between stimulators and antagonists of Upf complex recruitment governs human nonsense-mediated mRNA decay. Singh G., Rebbapragada I., Lykke-Andersen J. *PLoS Biol.* 6:E111-E111(2008) A quantitative atlas of mitotic phosphorylation. Dephoure N., Zhou C., Villen J., Beausoleil S.A., Bakalarski C.E., Elledge S.J., Gygi S.P. *Proc. Natl. Acad. Sci. U.S.A.* 105:10762-10767(2008) Lys-N and trypsin cover complementary parts of the phosphoproteome in a refined SCX-based approach. Gauci S., Helbig A.O., Slijper M., Krijgsvelde J., Heck A.J., Mohammed S. *Anal. Chem.* 81:4493-4501(2009) Control of c-myc mRNA stability by IGF2BP1-associated cytoplasmic RNPs. Weidensdorfer D., Stoeckl N., Baude A., Lederer M., Koehn M., Schierhorn A., Buchmeier S., Wahle E., Huettelmaier S. *RNA* 15:104-115(2009) Lysine acetylation targets protein complexes and co-regulates major cellular functions. Choudhary C., Kumar C., Gnäd F., Nielsen M.L., Rehman M., Walther T.C., Olsen J.V., Mann M. *Science* 325:834-840(2009) Poly(A) -binding protein (PABP) a common viral target. Smith R.W., Gray N.K. *Biochem. J.* 426:1-12(2010) The RNA binding protein Larp1 regulates cell division, apoptosis and cell migration. Burrows C., Abd Latif N., Lam S.J., Carpenter L., Sawicka K., Tzolovsky G., Gabra H., Bushell M., Glover D.M., Willis A.E., Blagden S.P. *Nucleic Acids Res.* 38:5542-5553(2010) Human cytomegalovirus UL69 protein facilitates translation by associating with the mRNA cap-binding complex and excluding 4EBP1. Aoyagi M., Gaspar M., Shenk T.E. *Proc. Natl. Acad. Sci. U.S.A.* 107:2640-2645(2010) A stimulatory role for the La-related protein 4B in translation. Schaffler K., Schulz K., Hirmer A., Wiesner J., Grimm M., Sickmann A., Fischer U. *RNA* 16:1488-1499(2010) Quantitative phosphoproteomics reveals widespread full phosphorylation site occupancy during mitosis. Olsen J.V., Vermeulen M., Santamaria A., Kumar C., Miller M.L., Jensen L.J., Gnäd F., Cox J., Jensen T.S., Niqā E.A., Brunak S., Mann M. *Sci. Signal.* 3:RA3-RA3(2010) Initial characterization of the human central

NCBI AND UNIPROT INFORMATION

NCBI GI #	46367787
NCBI GeneID	26986
NCBI Accession #	NP_002559.2
NCBI GenBank Nucleotide #	NM_002568.3
UniProt Accession #	P11940; Q15097; Q93004
Molecular Weight	57.8 kDa
NCBI Official Full Name	polyadenylate-binding protein 1
NCBI Official Synonym Full Names	poly(A) binding protein, cytoplasmic 1
NCBI Official Symbol	PABPC1
NCBI Official Synonym Symbols	PAB1; PABP; PABP1; PABPC2; PABPL1
NCBI Protein Information	polyadenylate-binding protein 1
UniProt Protein Name	Polyadenylate-binding protein 1
UniProt Gene Name	PABPC1
UniProt Synonym Gene Names	PAB1; PABP1; PABPC2; PABP-1; Poly(A)-binding protein 1
UniProt Entry Name	PABP1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/pabpc1-recombinant-protein-e-coli/18481>