

Carnitine Acetyltransferase (CRAT) ELISA Kit | CRAT elisa kit

Rat Carnitine Acetyltransferase (CRAT) ELISA Kit

CATALOG #
AAA185706

REACTIVITY
Rat


PRODUCT SYNONYMS

Carnitine Acetyltransferase (CRAT); Rat Carnitine Acetyltransferase (CRAT) ELISA Kit; CAT1; Carnitine O-Acetyltransferase; Carnitine acetylase; CRAT elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of Carnitine Acetyltransferase (CRAT). No significant cross-reactivity or interference between Carnitine Acetyltransferase (CRAT) and analogues was observed.
Sequence Length	544
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates, Cell Lysates and Other Biological Fluids
Detection Range	3.12-200ng/mL
Sensitivity	< 1.32ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Carnitine Acetyltransferase (CRAT) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Carnitine Acetyltransferase (CRAT) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CRAT elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Carnitine Acetyltransferase (CRAT). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Carnitine Acetyltransferase (CRAT). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Carnitine Acetyltransferase (CRAT), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Carnitine Acetyltransferase (CRAT) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	927415
NCBI GeneID	1384
UniProt Accession #	P43155; Q5T952; Q9BW16
Molecular Weight	61,870 Da
NCBI Official Full Name	carnitine acetyltransferase, partial
NCBI Official Synonym Full Names	carnitine O-acetyltransferase
NCBI Official Symbol	CRAT
NCBI Official Synonym Symbols	CAT; CAT1
NCBI Protein Information	carnitine O-acetyltransferase
UniProt Protein Name	Carnitine O-acetyltransferase
UniProt Gene Name	CRAT
UniProt Synonym Gene Names	CAT1; Carnitine acetylase; CAT; CrAT

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.