

Rat Slit Homolog 3 (Slit3) ELISA Kit | Slit3 elisa kit

Rat Slit Homolog 3 (Slit3) ELISA Kit

CATALOG #
AAA186242

REACTIVITY
Rat


PRODUCT SYNONYMS

Slit Homolog 3 (Slit3); Rat Slit Homolog 3 (Slit3) ELISA Kit; MEGF5; SLIL2; Multiple epidermal growth factor-like domains protein 5; Slit3 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of Slit Homolog 3 (Slit3). No significant cross-reactivity or interference between Slit Homolog 3 (Slit3) and analogues was observed.
Sequence Length	1,530
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates and Other Biological Fluids
Detection Range	0.156-10ng/mL
Sensitivity	< 0.063ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Slit Homolog 3 (Slit3) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Slit Homolog 3 (Slit3) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for Slit3 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Slit Homolog 3 (Slit3). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Slit Homolog 3 (Slit3). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Slit Homolog 3 (Slit3), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Slit Homolog 3 (Slit3) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	11321571
NCBI GeneID	6586
NCBI Accession #	NP_003053.1
NCBI GenBank Nucleotide #	NM_003062.3
UniProt Accession #	O75094; O95804; Q9UFH5; A6H8U9; J3KNP3
Molecular Weight	168,562 Da
NCBI Official Full Name	slit homolog 3 protein isoform 2
NCBI Official Synonym Full Names	slit guidance ligand 3
NCBI Official Symbol	SLIT3
NCBI Official Synonym Symbols	MEGF5; SLIL2; SLIT1; slit2; Slit-3
NCBI Protein Information	slit homolog 3 protein
UniProt Protein Name	Slit homolog 3 protein
UniProt Gene Name	SLIT3
UniProt Synonym Gene Names	KIAA0814; MEGF5; SLIL2; Slit-3; Multiple EGF-like domains protein 5

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.