

Human VGF Nerve Growth Factor Inducible (VGF) ELISA Kit | VGF elisa kit

Human VGF Nerve Growth Factor Inducible (VGF) High Sensitive ELISA Kit

CATALOG # AAA188538	REACTIVITY Human	APPLICATIONS ELISA
-------------------------------	----------------------------	------------------------------


PRODUCT SYNONYMS

VGF Nerve Growth Factor Inducible (VGF); Human VGF Nerve Growth Factor Inducible (VGF) High Sensitive ELISA Kit; VGF Nerve Growth Factor Inducible; NERP1; NERP2; Neuro-Endocrine Specific Protein VGF; Neuroendocrine Regulatory Peptide; VGF elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of High Sensitive VGF Nerve Growth Factor Inducible (VGF). No significant cross-reactivity or interference between High Sensitive VGF Nerve Growth Factor Inducible (VGF) and analogues was observed.
Sequence Length	615
Assay Type	Double-antibody Sandwich
Samples	Serum, plasma, cerebrospinal fluid and other biological fluids
Detection Range	7.8-500pg/mL
Sensitivity	The minimum detectable dose of this kit is typically less than 3.1pg/mL
Applicable Applications for VGF elisa kit	ELISA
Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level High Sensitive VGF Nerve Growth Factor Inducible (VGF) were tested 20 times on one plate, respectively. Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level High Sensitive VGF Nerve Growth Factor Inducible (VGF) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100 Intra-Assay: CV<10% Inter-Assay: CV<12%
Test Principle	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to High Sensitive VGF Nerve Growth Factor Inducible (VGF). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to High Sensitive VGF Nerve Growth Factor Inducible (VGF). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain High Sensitive VGF Nerve Growth Factor Inducible (VGF), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of High Sensitive VGF Nerve Growth Factor Inducible (VGF) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

NCBI AND UNIPROT INFORMATION

NCBI GI #	17136078
NCBI Accession #	NP_003369.2
NCBI GenBank Nucleotide #	NP_003369.2
UniProt Accession #	O15240
NCBI Official Full Name	neurosecretory protein VGF
UniProt Protein Name	Neurosecretory protein VGF
UniProt Gene Name	VGF
UniProt Synonym Gene Names	NERP-1; NERP-2
UniProt Entry Name	VGF_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/human-elisa-kits/vgf-nerve-growth-factor-inducible-vgf/188538>