

Human Insulin Like Growth Factor Binding Protein 4 (IGFBP4) CLIA Kit | IGFBP4 clia kit

Human Insulin Like Growth Factor Binding Protein 4 (IGFBP4) CLIA Kit

CATALOG # AAA188805	REACTIVITY Human	APPLICATIONS CLIA (Chemiluminescence Immunoassay)
-------------------------------	----------------------------	---


PRODUCT SYNONYMS

Insulin Like Growth Factor Binding Protein 4 (IGFBP4); Human Insulin Like Growth Factor Binding Protein 4 (IGFBP4) CLIA Kit; Insulin Like Growth Factor Binding Protein 4; BP4; HT29-IGFBP; IBP4; IGFBP4 clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Insulin Like Growth Factor Binding Protein 4 (IGFBP4). No significant cross-reactivity or interference between Insulin Like Growth Factor Binding Protein 4 (IGFBP4) and analogues was observed.
Sequence Length	258
Assay Type	Double-antibody Sandwich
Samples	Serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids
Detection Range	0.55-400ng/mL
Sensitivity	The minimum detectable dose of this kit is typically less than 0.23ng/mL
Applicable Applications for IGFBP4 clia kit	CLIA (Chemiluminescence Immunoassay)
Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Insulin Like Growth Factor Binding Protein 4 (IGFBP4) were tested 20 times on one plate, respectively. Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Insulin Like Growth Factor Binding Protein 4 (IGFBP4) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100 Intra-Assay: CV<10% Inter-Assay: CV<12%
Test Principle	The microplate provided in this kit has been pre-coated with an antibody specific to Insulin Like Growth Factor Binding Protein 4 (IGFBP4). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Insulin Like Growth Factor Binding Protein 4 (IGFBP4). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Insulin Like Growth Factor Binding Protein 4 (IGFBP4) level in the sample or standard.
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

NCBI AND UNIPROT INFORMATION

NCBI GI #	62243290
NCBI GeneID	3487
NCBI Accession #	NP_001543.2
NCBI GenBank Nucleotide #	NP_001543.2
UniProt Accession #	P22692
NCBI Official Full Name	insulin-like growth factor-binding protein 4
NCBI Official Synonym Full Names	insulin like growth factor binding protein 4
NCBI Official Symbol	IGFBP4
NCBI Official Synonym Symbols	BP-4; IBP4; IGFBP-4; HT29-IGFBP
NCBI Protein Information	insulin-like growth factor-binding protein 4
UniProt Protein Name	Insulin-like growth factor-binding protein 4
UniProt Gene Name	IGFBP4
UniProt Synonym Gene Names	IBP4; IBP-4; IGF-binding protein 4; IGFBP-4
UniProt Entry Name	IBP4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/human-clia-kits/insulin-like-growth-factor-binding-protein-4-igfbp4/188805>