

Human Myelin Basic Protein (MBP) CLIA Kit | MBP clia kit

Human Myelin Basic Protein (MBP) CLIA Kit

CATALOG # AAA188927	REACTIVITY Human	APPLICATIONS CLIA (Chemiluminescence Immunoassay)
-------------------------------	----------------------------	---


PRODUCT SYNONYMS

Myelin Basic Protein (MBP); Human Myelin Basic Protein (MBP) CLIA Kit; Myelin Basic Protein; Myelin A1 protein; Myelin membrane encephalitogenic protein; MBP clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Myelin Basic Protein (MBP). No significant cross-reactivity or interference between Myelin Basic Protein (MBP) and analogues was observed.
Sequence Length	203
Assay Type	Double-antibody Sandwich
Samples	Serum, plasma, cerebrospinal fluid and other biological fluids
Detection Range	41.2-30,000pg/mL
Sensitivity	The minimum detectable dose of this kit is typically less than 17.5pg/mL
Applicable Applications for MBP clia kit	CLIA (Chemiluminescence Immunoassay)
Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Myelin Basic Protein (MBP) were tested 20 times on one plate, respectively. Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Myelin Basic Protein (MBP) were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100 Intra-Assay: CV<10% Inter-Assay: CV<12%
Test Principle	The microplate provided in this kit has been pre-coated with an antibody specific to Myelin Basic Protein (MBP). Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to Myelin Basic Protein (MBP). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. Then the mixture of substrate A and B is added to generate glow light emission kinetics. Upon plate development, the intensity of the emitted light is proportional to the Myelin Basic Protein (MBP) level in the sample or standard.
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

NCBI AND UNIPROT INFORMATION

NCBI GI #	1162922
NCBI GeneID	4155
UniProt Accession #	P02686
NCBI Official Full Name	myelin basic protein
NCBI Official Synonym Full Names	myelin basic protein
NCBI Official Symbol	MBP
NCBI Protein Information	myelin basic protein; Golli-MBP; proline-rich proteoglycan 2
UniProt Protein Name	Myelin basic protein
UniProt Gene Name	MBP
UniProt Synonym Gene Names	MBP
UniProt Entry Name	MBP_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/human-clia-kits/myelin-basic-protein-mbp/188927>