

Rabbit NFKB2 Polyclonal Antibody | anti-NFKB2 antibody

NFKB2 antibody - C-terminal region

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA197277	Rabbit	Cow, Horse, Human, Pig, Rabbit, Rat	Western Blot, Immunohistochemistry


PRODUCT SYNONYMS

NFKB2; Polyclonal Antibody; NFKB2 antibody - C-terminal region; anti-NFKB2 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Cow, Horse, Human, Pig, Rabbit, Rat
Clonality	Polyclonal
Purity/Purification	Affinity Purified
Form/Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Sequence	Synthetic peptide with the following region: SDSDSEGPEK DTRSSFRGHT PLDLTCSTLV KTLLLNAAQN TMEPPL
Sequence Length	900
Applicable Applications for anti-NFKB2 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Homology	Cow: 77%; Horse: 85%; Human: 100%; Pig: 77%; Rabbit: 92%; Rat: 77%
Immunogen	The immunogen is a synthetic peptide directed towards the C terminal region of human NFKB2
Preparation and Storage	For short term use, store at 2-8 degree C up to 1 week. For long term storage, store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES


WB (Western Blot)


WB Suggested Anti-NFKB2 Antibody Titration: 0.2-1 ug/ml Positive Control: Jurkat cell lysate


WB (Western Blot)

Host: Rabbit Target Name: NFKB2 Sample Tissue: Human HCT116 Antibody Dilution: 1.0ug/ml



IHC (Immunohistochemistry)
Human Smooth Muscle



IHC (Immunohistochemistry)
Human Muscle

ADDITIONAL INFORMATION

Related Product Information for anti-NFKB2 antibody	This is a rabbit polyclonal antibody against NFKB2. It was validated on Western Blot and immunohistochemistry Target Description: NFKB has been detected in numerous cell types that express cytokines, chemokines, growth factors, cell adhesion molecules, and some acute phase proteins in health and in various disease states. NFKB is activated by a wide variety of stimuli such as cytokines, oxidant-free radicals, inhaled particles, ultraviolet irradiation, and bacterial or viral products. Inappropriate activation of NF-kappa-B has been linked to inflammatory events associated with autoimmune arthritis, asthma, septic shock, lung fibrosis, glomerulonephritis, atherosclerosis, and AIDS. In contrast, complete and persistent inhibition of NF-kappa-B has been linked directly to apoptosis, inappropriate immune cell development, and delayed cell growth.
Product Categories/Family for anti-NFKB2 antibody	Polyclonal; Transcription Factor; Transcription Regulation; Developmental Biology; Signal Transduction; Apoptosis; Disease Related; Immunohistochemistry; Transcription Factors; Cell Differentiation

NCBI AND UNIPROT INFORMATION

NCBI GI #	117320531
NCBI GeneID	4791
NCBI Accession #	NP_002493
NCBI GenBank Nucleotide #	NM_002502
UniProt Accession #	Q00653
Molecular Weight	97kDa
NCBI Official Full Name	nuclear factor NF-kappa-B p100 subunit isoform a
NCBI Official Synonym Full Names	nuclear factor kappa B subunit 2
NCBI Official Symbol	NFKB2
NCBI Official Synonym Symbols	p52; p100; H2TF1; LYT10; CVID10; LYT-10; NF-kB2; p49/p100
NCBI Protein Information	nuclear factor NF-kappa-B p100 subunit
UniProt Protein Name	Nuclear factor NF-kappa-B p100 subunit
UniProt Gene Name	NFKB2
UniProt Synonym Gene Names	LYT10; Lyl10
UniProt Entry Name	NFKB2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.